




YOUR ORIGINAL CHOICE





RETREADING



TIRE WORKSHOP



CONVEYOR TOOLS



BEAD BREAKER REPAIR



RIM RE-BELTING



EXTRUDER REPAIR



BUFFERS REPAIR



MONAFLEX TRAINING



VM RUBBER
CMT
OUTER - 21

JAN	20
FEB	21
MAR	22
APR	23
MAY	
JUN	
JUL	
AUG	
SEPT	
OCT	
NOV	
DEC	

RICOSTRUZIONE PNEUMATICI
RECHAPAGE DES PNEUS

TIRE RETREADING
RECAUCHUTADO DE NEUMÁTICOS


VMRubber

Code	Model	MFG
10060	V-4-NS	R4
10061	V-4-AP	R4
10062	V-4-AP CONVEX	R4
10063	V-4-SII-AP (BANDAG)	SATURN II
10064	V-115-NS	R115
10066	V-115-REG CONVEX (RAS90)	R115
10067	V-115 REG	R115
10070	VS-115 AP CONVEX (GIOTTO)	SATURN III



MODULO ORDINE RASPA / RASP ORDERING FORM

Rasp Version: (Please mark)



* SPECIFICHE MODELLO CONVEX / CONVEX SPECS

Ø 6,35 - Height 96 mm - Radius 100 mm


Ø 8 mm - Height 96 mm - Radius 75 mm

Ø 8 mm - Height 96 mm - Radius 150 mm

Foro / Hole	Ømm
Chiavetta / Keyway	N°..... Xmm
Distanziali / Spacers	☐ 1/4" - ☐ 3/8 "
Perni / Pins	☐ Ø 6,35 mm - ☐ Ø 8 mm
Altezza / Height	☐ 96 mm - ☐ 102 mm


RMA
Cod. 10052

IMPOSTAZIONE DI SCALA RASPATURA/
BUFFING SETUP AND TEXTURE






R 115-25 SJ
Cod.10025



S 115-25 SJ
Cod.10027



R 115-20 SJ
Cod. 10024



S 115-20 SJ
Cod. 10034



R 115-25 SC
Cod. 10031



S 115-25 SC
Cod. 10033



R 115-20 SC
Cod. 10030




S 115-20 SC
Cod. 10035



R 115-16 SJ
Cod. 10023



R 4-25 SJ
Cod. 10022



R 105-22 Regular J
Cod. 10019



R 4-25 SC
Cod. 10029



Apollo II
Cod. 10038



Apollo III
Cod. 10040

Code	Spacers
I-Beam	
10075	VR 115 ¼" I-Beam
10076	VR 115 ⅜" I-Beam
10085	VR 4 ¼" I-Beam
10086	VR 4 ⅜" I-Beam
10087	VS 115 ¼" I-Beam
10088	VS 115 ⅜" I-Beam
10079	VR 4 SII ¼" I-Beam
10080	VR 4 SII ⅜" I-Beam
Air-Cooled	
10071	VR 4 ¼" Air-Cooled
10072	VR 4 ⅜" Air-Cooled
10071-1	VR 4 SII ¼" Air-Cooled
10071-4	VR 4 SII ⅜" Air-Cooled
10073	VR 115 ¼" Air-Cooled
10074	VR 115 ⅜" Air-Cooled
10077	VS 115 ¼" Air-Cooled
10078	VS 115 ⅜" Air-Cooled



10073



10075



10081

Code	Pins	Size
10081	Knurled	6.3 x 96 mm
10082	Knurled	8 x 96 mm
10083	Shaped	6.3 x 96 mm
10084	Shaped	8 x 96 mm



Cod. 10051

SPRUZZATORE A DEPRESSIONE PER LAME /
ATOMIZER FOR BUFFING BLADES



Taglierina elettrica con lama granata per prestampato /
Cutter with gritted blade for tread rubber

Cod.11430

Potenza Trapano / Drill Power	850W - 36 Nm
Potenza Elettrica / Electric Power	230V / 110V
Spessore Massimo / Max THK	50 mm
Peso / Weight	18 kg



Spare blade 11057-1





Code	Size	Model
10363	Ø 3 x 70 mm	(269 - CC3) (42393)
10364	Ø 6 x 90 mm	EU - (595-1925)
10366	Ø 4.5 x 90 mm	(595-5019) (CC 4,5)
10375	Ø 6 x 90 mm	(270 - CC6) (42372)
10376	Ø 8 x 90 mm	(271 - CC8) (42379)
10377	Ø 9 x 100 mm	(42369)
10378	Ø 10 x 100 mm	(271/38 - CC10) (42373)
10391	Ø 6 x 70 mm	(284) (42374)
10379	Ø 12 x 110 mm	(595-5040) (511 1320)
10393	Ø 20 x 6 mm	Spherical

Code	Model	Rpm	Weight
10390	CP9286	600	1,8kg



Code	Size	Thickness	Hole/Shaft	Wire
11512	Ø 50	6	Ø 12.7	-
11514	Ø 75	6	Ø 12.7	-
11521	Ø 50	8	Ø 3/8"	0,30
11518	Ø 80	7	Ø 13	0,30
11519	Ø 65	6	Ø 6	0,30
11520	Ø 75	8	Ø 14	0,30
11522	Ø 75	20	Ø 14	0,30
11521-1	Ø 50	8	Ø 3/8"	0,30
10523	13 mm	20 mm	-	-





10484



10465



10464



10466



10467

FOR OTR TIRES



10469



10468



10470
(conical)



10519



10536



10560



10481




10476




10475




10477




10478



10479



10479



10473

Code	Size	Hole
10464	Ø 30	3/8"
10465	Ø 50	3/8"
10466	Ø 50	1/2"
10467	Ø 50	3/8"
10468	Ø 30	1/2" UNF
10469	Ø 50	1/2" UNF
10470	Ø 50	1/2" UNF
10484	Ø 25	8 mm
10519	3/8" x16 mm	-
10536	1/2" x16 mm	-
10560	1/2"	-

Code	Model	Size	Machine
10473	Scorticatore profilo dentato / Gouges with toothed profile	Ø 160 - H 80 mm	Marangoni
10474	Scorticatore conico / Conical gouge	Ø 130 x 55 - H 115 mm	Staico / MGT
10476	Scorticatore speciale a mezzaluna / Special half-moon gouge	Ø 95 x 60 mm	-
10481	Scorticatore Cilindrico / Cylindrical gouge	Ø 100 - H 45 mm	-
10475	Scorticatore conico / Conical gouge	152 X 54 X 137.5 mm	TRM
10480	Scorticatore conico / Conical gouge	74 x 30 x 60 mm	RTS
10477	Coltello scolpitori R25 / Grooving knife R25	210 x 90 x 40 mm R25	MGT / Italmatic
10479	Coltello scolpitori R30 / Grooving knife R30	210 x 90 x 40 mm R30	MGT / Italmatic
10478	Coltello scolpitori R15 / Grooving knife R15	210 x 90 x 40 mm R15	MGT / Italmatic



10111



10112



10113



10114



10115

Code	MFG	Size	Hole	Grit
10111	22 - 01	Ø 65 x 15	3/8"	60
10112	22 - 03	Ø 50 x 5	3/8"	36
10113	22 - 04	Ø 50 x 5	3/8"	16
10114	22 - 05	Ø 50 x 10	3/8"	36
10115	22 - 06	Ø 50 x 10	3/8"	16
10116	22 - 07	Ø 50 x 12	3/8"	36
10117	22 - 08	Ø 50 x 12	3/8"	16
10118	22 - 09	Ø 50 x 19	3/8"	36
10119	22 - 10	Ø 50 x 19	3/8"	16
10120	TCW 210	Ø 50 x 25	3/8"	16
10121	TCW 210	Ø 50 x 25	3/8"	36
10123	TCW 210	Ø 50 x 25	3/8"	60
10124	TCW 310	Ø 76 x 25	3/8"	16
10125	TCW 310	Ø 76 x 25	3/8"	36
10127	TCW 315	Ø 76 x 38	3/8"	16
10128	TCW 315	Ø 76 x 38	3/8"	36
10132	TCW 415	Ø 102 x 38	3/8"	16
10133	TCW 415	Ø 102 x 38	3/8"	36
10136	TFW 310	Ø 75 x 25	3/8"	16
10137	TFW 310	Ø 75 x 25	3/8"	36
10140-1	UW	Ø 102 x 38	14	16
10140-2	UW	Ø 102 x 38	14	36
10288	200	Ø 76 x 25	3/8"	230/36



10116



10117



10118



10119



10120



10127



10132



10136



10142



10143



10144

Code	MFG	Size	AH/Shaft	Grit
10141	22 - 11	Ø 20 x 50	3/8"	36
10142	22 - 12	Ø 20 x 50	3/8"	16
10143	22 - 13	Ø 20 x 102	3/8"	36
10144	22 - 14	Ø 20 x 102	3/8"	16
20116	PR	Ø 6 x 65	6	36
20116-1	PR	Ø 6 x 65	6	16
20116-2	PR	Ø 6 x 65	6	18
20120	PR	Ø 6 x 102	6	16
20121	PR	Ø 6 x 102	6	18
20122	PR	Ø 6 x 102	6	36
10305	PR	Ø 8 x 170	8	36
10306	PR	Ø 8 x 170	8	18
10306-1	PR	Ø 8 x 170	8	16



10288



10140-1/10140-2



10306-1



20120



20122



20116-1



20116



10246



10287 - 10286



10248



10255



10268



10273



Code	Size	Hole	Grit
10308-1	50 x 5	3/8	16
10309	50 x 7	3/8	16
10309-0	50 x 10	3/8	16
10309-1	50 x 13	3/8	16



10309-0



10309-1



10308-1



10309

COPPER

Code	Size	Hole	Grit
10285	150 x 38	60	36
10286	225 x 38	60	16
10287	225 x 38	60	36

Code	Size	Hole	Grit
10254	102 x 38	14	16
10255	102 x 38	14	36
10246	30 x 15	3/8	18
10247	30 x 15	3/8	36
10248	50 x 25	3/8	16
10249	50 x 25	3/8	36
10251	76 x 32	14	16
10252	76 x 32	14	18
10253	76 x 32	14	36


PATRIOT

Code	Size	Hole	Grit
10268	200 x 38	60	18
10269	200 x 38	60	36
10270	225 x 38	60	18
10271	225 x 38	60	36

Code	Size	Hole	Grit
10273	50 x 25	3/8	36
10275	65 x 25	3/8	36
10277	76 x 32	14	36

ERGO-LINE

Code	Size	Hole	Grit
20141	Ø 65 X 30	14	23
20144	Ø 80 X 30	14	23
20147	Ø 100 X 30	14	23



20144



Code	Size	Hole	Grit
10238	102 x 19	14	16
10239	102 x 19	14	18
10240	102 x 19	14	36
10241	105 x 13	14	14
10242	105 x 13	14	16
10243	105 x 13	14	18
10244	150 x 32	60	14
10245	150 x 32	60	16
10245-1	150 x 32	60	18
10235	76 x 16	14	14
10236	76 x 16	14	16
10237	76 x 16	14	18



10238



10235



10244

Code	Size	Hole	Grit
10208	50 x 3,5	3/8"	16
10209	50 x 3,5	3/8"	36
20117	50 x 3,5	3/8"	18
10211	50 x 5	3/8"	16
10212	50 x 5	3/8"	36
20118	50 x 5	3/8"	18
10214	50 x 7	3/8"	16
10215	50 x 7	3/8"	36
20123	50 x 7	3/8"	18
10217	50 x 10	3/8"	16
10218	50 x 10	3/8"	36
10217-G18	50 x 10	3/8"	18
10220	50 x 13	3/8"	16
10221	50 x 13	3/8"	36
10221-G18	50 x 13	3/8"	18
10223	50 x 19	3/8"	16
10224	50 x 19	3/8"	36
10224-G18	50 x 19	3/8"	18
10204	70 x 3,5	3/8"	16
10205	100 x 4	3/8"	16
10206	100 X 3.2	3/8"	16



10208



10211



10214



10217



10220



10223



10204



10205



10206

Code	Size	Shaft	Grit
10225	50 x 3	6	18
10226	20 x 55	6	18
10228	50 x 50	8	18



10225



10226



10228



10175



10174



10171



10173



10172



10190



10191



10183



10182



10181



10180



10179



10178



10177



10176

Code	MFG	Size	Shaft/AH	Grit
10175	635	Ø 25 x 3	1/8"	330/24
10174	619	Ø 35 x 6	1/4"	330/24
10171	605	Ø 28	1/4"	330/24
10173	603	Ø 22	1/4"	330/24
10172	601	Ø 16	1/4"	330/24
10190	611	Ø 16 X 25	1/4"	330/24
10191	613	Ø 22 X 32	1/4"	330/24
10183	314	Ø 51 x 19	3/8"	390/16
10182	312	Ø 51 x 19	3/8"	230/36
10181	310	Ø 51 x 13	3/8"	390/16
10180	308	Ø 51 x 13	3/8"	230/36
10179	306	Ø 51 x 10	3/8"	390/16
10178	304	Ø 51 x 10	3/8"	230/36
10177	302	Ø 51 x 6	3/8"	390/16
10176	300	Ø 51 x 6	3/8"	230/36



10155



10162



10159



10167




10161



10163



10164



10165



10297



10187




20109




10188

Code	MFG	Size	Hole	Grit
10167	140	Ø 32 x 18	3/8"	170/60
10157	130	Ø 51 x 19	3/8"	170/60
10166	122	Ø 89 x 38	3/8"	390/16
10165	120	Ø 89 x 38	3/8"	230/36
10164	118	Ø 89 x 38	3/8"	170/60
10163	116	Ø 76 x 32	3/8"	390/16
10162	114	Ø 76 x 32	3/8"	230/36
10161	112	Ø 76 x 32	3/8"	170/60
10160	110	Ø 64 x 25	3/8"	390/16
10159	109	Ø 64 x 25	3/8"	230/36
10158	106	Ø 64 x 25	3/8"	170/60
10156	102	Ø 44 x 19	3/8"	230/36
10155	100	Ø 44 x 19	3/8"	170/60
10187	114X	Ø 76 x 32	3/8"	70 MCM
10188	120X	Ø 89 x 38	3/8"	70 MCM
10297	116X	Ø 76 x 32	3/8"	90 MCM
20109	122X	Ø 89 x 38	3/8"	90 MCM



10937 / 10937-1 / 10938



10931-1 / 10932



10933 / 10934



10939 / 10940



10932-3 / 10932-4



11395 / 11397 / 11396



10939-1 / 10940-1




11321




10941




11227



11228



10942



10943



Code	Size	Hole	Grit
10931-1	Ø 100 x 2	16	16
10932	Ø 100 x 2	16	36
10933	Ø 125 x 2	22	16
10934	Ø 125 x 2	22	36
10937-1	Ø 180 x 2	22	16
10937	Ø 180 x 2	22	18
10938	Ø 180 x 2	22	36
10939	Ø 175 x 2	22	16
10940	Ø 175 x 2	22	36
11321	Ø 102 x 2	16	18
10932-3	Ø 115 x 2.5	22	16
10932-4	Ø 115 x 2.5	22	36
10939-1	Ø 175 x 2	22	390/16
10940-1	Ø 175 x 2	22	230/36
11395	Ø 175 x 2	22	16
11397	Ø 175 x 2	22	36
11396	Ø 175 x 2	22	18

Ø 175



Code	MCM	Size	Hole
10941	120	Ø 170mm	Ø 22
10942	70	Ø 115mm	Ø 22
10943	90	Ø 115mm	Ø 22
11227	70	Ø 115mm	Ø 22
11228	90	Ø 115mm	Ø 22



10301 / 10301-1



10300 / 10299



10184




10185

Code	MFG	Size	Hole	Grit
10184	711	Ø 200 x 30	60mm	390/16
10185	708	Ø 152 x 35	1½"	390/16
10186	708	Ø 152 x 35	50mm	390/16
10301	711X	Ø 200 x 30	60mm	120 MCM
10301-1	711X	Ø 200 x 30	60mm	90 MCM
10300	708X	Ø 152 x 35	50mm	90 MCM
10299	708X	Ø 152 X 35	38 mm	90 MCM



10256 - 10257

Code	Size	Hole	Grit
10257	Ø 150	51mm	80
10256	Ø 150	51mm	60
10259	Ø 180	32mm	80




10259



* Targhette in alluminio per marcatura su richiesta /
 Aluminium labels on request

Code	Model
12617	Vernice nera 20l / 20l Black finishing coat
12622	Pistola spruzzapara 1.8" / Rubber spray gun 1.8"
12623	Pistola airless con ugello / Airless gun with nozzle
12625	Ugello per #12623 / Nozzle for #12623
12626	Filtro per pistola Airless / Spare filter for Airless gun
12647	Pompa Graco per soluzione / Graco pump for solution
13724-4	Serbatoio airless Monark completo di agitatore / Monark airless tank with mixer
13725	Serbatoio normale airless Monark / Monark airless tank
12641	Incisore di etichette in alluminio e acciaio / Steel and aluminum engraver
12642	Nastro in alluminio 12,7 mm x 3,66 m / Aluminium Tape / Bande en aluminium / Cinta en aluminio
12643	Nastro in acciaio 12 mm x 6,40 m / Steel Tape / Bande en acier/Cinta en acero





10580 RPM 3.000



10578 RPM 4.500



10588 RPM 3.000



10579 RPM 4.500



10568 RPM 22.000



10566 RPM 22.000



10569 RPM 21.000



10611 RPM 1.200-2.500
Battery-operated



15906



10583 RPM 7.200



10584 RPM 14.600

Code	Model	Rpm	Weight kg
10580	CP 873C Chicago	3.000	1,02
10578	GP 0681	4.500	0,80
10588	ATLAS LSF29 S030	3.000	0,55
10579	GP-0681 (manual torque)	4.500	0,80
10568	CP 872 Chicago	22.000	0,60
10566	GP 0546	22.000	0,57
10569	GP 2751X-2	21.000	0,88
10583	UG 1250L 72	7.200	3,20
10584	UG 65 EBR	14.600	1,5
10611	M12 FUEL - FTB	1.200 - 2.500	1,10
15906	Impact wrench 1" CP 7782-6 2900 Nm		
15950	Cordless Torque Wrench 3/4" 1300 Nm		
15948	Reaction bar sliding drive		



15950
1300 Nm



15948



12650

Maximum pressure 4-6 bar



12651



12652



12654



12655



11469



11460



11459

Code	Model
11459	Spazzola 595 4553 / Brush 595 4553 / Brosse 595 4553
11469	Spazzola da banco / Hand brush 350 x 35 mm
11460	Spazzola ottone / Brass Brush / Brosse en laiton
12629	Silicone liquido / Concentrated liquid silicone 25 kg
12650	Graffatrice pneumatica / Pneumatic Stapler
12651	Punti metallici / Steel staples 12x6 mm box 10.000 pcs
12652	Punti metallici / Steel staples 12x8 box 10.000 pcs
12653	Punti metallici / Steel staples 12x12 box 10.000 pcs
12654	Graffatrice manuale / Manual stapler
12655	Punti per graffatrice manuale / Staples for manual stapler 13x6 mm
12656	Graffatrice pneumatica per punti in plastica / Pneumatic stapler for polymer fasteners box 5.112 pcs
12657	Punti in plastica / Polymer staples 12.5x9.5 mm
12611	Carrello per attrezzi - 7 cassetti / Tools trolley - 7 drawers
12666	Silicone spray antiadesivo / Non-stick silicone spray 500 ml




12611



12666



12629



10516



10544

Code	Adapters and chuck
10519	3/8" UNF x 16 mm
10520	3/8" UNF x 25 mm
10530	Ø 3 mm
10531	Ø 5 mm
10532	Ø 6 mm
10532-1	Ø 6,35 mm / 1/4"
10533	Ø 8 mm
10534	Ø 10 mm
10524	Ø 14 x 15 mm
10537	Ø 12 x 25 mm for rasp 11578
10550	Ø 6 - 3/8" UNF x 10 mm
10551	Ø 6 - 3/8" UNF x 25 mm
10516	Quick change chuck 3/8" UNF x 24 mm
10518	Quick change chuck 1/2" x 13 UNC Japan
10518-1	Black quick change chuck 1/2" UNF x 24 mm
10557-1	Rack chuck 3/8 UNF 1-10 mm
10557	Rack chuck 3/8 UNF 1-13 mm
10528	Hexagonal adapter 16 mm for UG1250
10529	Hexagonal adapter for Pin Rasp 11578 and UG1250
10544	Chuck with flange - Continental model



10550

10551

Carbide tools
RFBOT wheels
Donut wheels
Contour wheels



10557-1
1-10 mm



10557
1-13 mm




10529

10528



UG 1250L



10349


10346

10348

10347

10350

Code	Model	Size	Shaft/AH	Grit
10316	A-1W	Ø 20 x 65	Ø 6	80
10335	-	Ø 15 x 40	Ø 6	80
10317	A-1B	Ø 20 x 65	Ø 6	80
10314	A-15W	Ø 8 x 25	Ø 6	80
10315	A-15B	Ø 8 x 25	Ø 6	80
10313	-	Ø 10 x 30	Ø 6	46
10312	-	Ø 10 x 30	Ø 6	80
10356	-	Ø 10 x 30	Ø 6	60
10354	-	Ø 20 x 40	Ø 6	80
10344	-	Ø 40 x 50	Ø 6	24
10318	-	Ø 38	Ø 6	46
10331	-	Ø 35	Ø 6	24
10334	-	Ø 20	Ø 6	80
10355	-	Ø 10 x 30	Ø 6	60
10350	-	Ø 75 x 7	Ø 9,53	80
10330	-	Ø 100 x 10	Ø 10	80
10349	-	Ø 125 x 16	Ø 16	80
10347	-	Ø 75 x 16	Ø 16	80
10348	-	Ø 90 x 16	Ø 16	80
10346	-	Ø 100 x 16	Ø 16	80
10352	-	Ø 100 x 10	Ø 14	24



10352



Ø 40



10354

10322

Ø 25



10320
A37-B

Ø 30



10321
A-37W

Ø 30



10357

Ø 30



10326

Ø 34



10325

Ø 35



10323
A-36B

Ø 35



10324
A-36W

Ø 35



10358

Ø 35



10345

Ø 25



10327

Ø 40



10353

Ø 40



10336

Ø 40



10319

Ø 50



10343

Ø 50



Code	Model	Size	Shaft	Grit
10322	-	Ø 25 x 8	Ø 6	46
10320	A-37B	Ø 30 x 8	Ø 6	46
10321	A-37W	Ø 30 x 8	Ø 6	80
10357	-	Ø 30 x 8	Ø 6	60
10323	A-36B	Ø 35 x 8	Ø 6	46
10324	A-36W	Ø 35 x 8	Ø 6	80
10325	-	Ø 35 x 8	Ø 6	46
10358	-	Ø 35 x 8	Ø 6	60
10345	-	Ø 25 x 6	Ø 6	80
10326	-	Ø 34 x 6	Ø 6	80
10327	A-36W	Ø 40 x 10	Ø 6	80
10353	-	Ø 40 x 10	Ø 6	60
10336	-	Ø 40 x 10	Ø 6	60
10319	-	Ø 50 x 12	Ø 6	80
10343	-	Ø 50 x 18	Ø 6	24
10328	-	Ø 40 x 30	Ø 6	80
10359	-	150 x 22 x 50	-	60
10360	150 x 22 x 50 with handle			



10359



10360



11434



10539



11437



11438



10540



10541 RECAMIC



10544 CONTINENTAL



11454



11456

Code	Size	Wire	Hole
11431	Ø 50 x 6	0,25	Ø 3/8"
11432	Ø 76 x 6	0,25	Ø 3/8"
11433	Ø 76 x 6	0,17	Ø 3/8"
11434	Ø 76 x 18	0,17	Ø 3/8"
11437	Ø 90	0,18	Ø 14
11438	Ø 90	0,35	Ø 14
11435	Ø 100	0,30	Ø 30
11436	Ø 100	0,17	Ø 30
10540	Adapter for brushes 11437 and 11438		
10541	Chuck with flanges - Recamic style		
10539	Adapter for brushes 11435 and 11436		
10544	Chuck with flanges - Continental style		

Code	Size	Thickness	Shaft
11452	Ø 40	15	Ø 6
11453	Ø 50	15	Ø 6
11454	Ø 60	20	Ø 6
11455	Ø 40	10	Ø 6
11456	Ø 8	80	-



11451



11450



11444



Code	MFG	Size	Thickness	AH
11442	R8154	Ø 150	43	Ø 77
11444	R8165	Ø 160	45	Ø 77
11447	R8185	Ø 180	45	Ø 77
11448	R8237	Ø 230	60	Ø 77
11449	R8153	Ø 150	30	Ø 80
11451	R82371	Ø 230	60	Ø 100
11450	R8186	Ø 200	40	Ø 100
11445	R8166	Ø 160	50	Ø 77
11446	R8167	Ø 160	60	Ø 77
11441	R6153	Ø 150	30	Ø 58
11443	R6152	Ø 150	18	Ø 58
11237	R4103	Ø 100	23	Ø 38/14
11457	S7606	Ø 76	6	Ø 3/8"
11463	R6150	Ø 120	140	Ø 58/53



11237



11457



11463



11473 YOKOHAMA



11477

Code	Size	Wire	Shaft
11473	Ø 50	18	Ø 6
11477	Ø 75	16	-

Code	Size	Shaft	Grit
10149	Ø 40 x 20	Ø 6	60
10150	Ø 60 x 30	Ø 6	60
10152	Ø 30 x 30	Ø 6	-
10151	Ø 30 x 30	-	60
10154	Ø 45 x 30	Ø 6	-
10153	Ø 45 x 30	-	60



10150



10149



10153



10154




10151



10152



Code	Model
11472	Spazzola parapolverino in crine di cavallo / Brush for rubber, made of horsehair, H80 mm W 10 mm sold by meter
11461	Spazzola parapolverino in ottone / Brass brush for rubber, H35 mm W 5 mm sold by half meter



Code	Model	Size	Pin	AH
11578	Concave rasp	Ø 75 x 35	1,5 x 12	-
11579	Replacement o-ring for rasp 11578			
11576	Spherical rasp	Ø 35	1,5 x 10	-
11580	Cylindrical rasp	Ø 80 X 30	1,5 x 12	8
10280	Tack rasp bands (OX2-R)	Ø 64 x 25	-	-
10281	Tack rasp bands (OX3-R)	Ø 38 x 16	-	-
10282	Rubber flange (HU2)	Ø 64 x 25	-	3/8"
10283	Rubber flange (HU3)	Ø 38 x 16	-	3/8"
10282-1	Rasp Complete	Ø 64 x 25	-	3/8"
10283-1	Rasp Complete	Ø 38 x 16	-	3/8"
10017	B&J R-5	-	-	-
10018	B&J R-6	-	-	-
10538	Adapter for R-5 and R-6			

Ø 80



11580



10537



Ø 75

11578



11579



11576



10520



10283-1




10282-1




10280

10282



10017



10018



10538






12254
Max 7 digits




12255



12297



12254-3
Max 10 digits




12256



12299

Code	Model
12254	Marcatore 300W / Tire brander 300W / Marqueur 300W
12254-3	Marcatore 400W max 10 cifre / Rubber brander 400W max 10 digits / Marqueur 400W max 10 chiffres
12255	Resistenza per marcatore / Heater for tire brander / Résistance pour marqueur
12256*	Alfabeto completo / Complete alphabet / Alphabet complet (10mm)
12257*	Numeri / Numbers / Numéros 0-9 (10mm)
12297	Marcatore Helrick #32A / Helrick #32A Tire brander / Marqueur
12299*	Alfabeto completo/ Complete alphabet/ Alphabet complet (25mm)

* Numeri e lettere singoli disponibili / Single number and letters also available




12555

Code	Model	Max. Temperature
12555	Scalda coltelli 230 V - 10" Knife heater 230 V - Knife size 10"	240°

Ricambi taglia rotoli / Spare for Rubber Cutter

Code	Model
12664	Lama di ricambio per tagliarotoli 250 mm / Spare blade for roller cutter 250 mm
12663	Boccole per subbio speciale / Roll holder shaft bushings Ø 50 mm
12662	Subbio porta rotoli / Roll holder shaft Ø 105 mm



12662



12663



12664





11557



11558



11559



11560



11582

Code	Size	Model
11557	Ø 52 x 18	Pin 1,5 x 12
11558	Ø 52 x 27	Pin 1,5 x 12
11559	Ø 52 x 46	Pin 1,5 x 12
11560	Ø 52 x 76	Pin 1,5 x 12
11582	Ø 1,5 x 12	3.000 pcs/box
11604	Ø 1,5 x 12	9.000 pcs/box
11581	Ø 1,5 x 10	3.000 pcs/box
11584	Ø 2 x 18	1.000 pcs/box



11571



11572



11573



11570

Code	Smooth/Liscio
11570	40 x 10 mm
11571	40 x 12 mm
11572	40 x 18 mm
11573	40 x 46 mm



11562



11565



11564



11563



11561



11566



11567



11568



11569

Code	Knurled/Zigrinato
11561	40 x 2,5 mm
11562	50 x 4 mm
11563	38 x 3 mm
11564	38 x 7 mm
11565	25 x 2 mm
11566	40 x 10 mm
11567	40 x 18 mm
11568	40 x 46 mm
11569	40 x 76 mm

Estrusore Tubeless VMR /VMR Nailhole Extruder Gun



11779 - 230V
11780 - 110V

Potenza Trapano / Drill Power	400W
Potenza Elettrica / Electric Power	350W - 230/110V
Temperatura max / Max temperature	120°
Peso / Weight	6,8 kg




Estrusore Elettrico VMR /VMR Electrical Extruder Gun



11832 - 230V

Potenza Trapano / Drill Power	850 W
Potenza Elettrica / Electric Power	350W - 230 V
Temperatura Max / Max Temperature	120°
Peso / Weight	5 kg
Produzione di gomma / Rubber Production	18kg/h

Estrusore Bosch VMR / VMR Bosch Extruder





11870 - 230V
11874 - 110V



Potenza Trapano / Drill Power	400W
Potenza Elettrica / Electric Power	350W - 230/110V
Temperatura massima / Max temperature	120°
Peso / Weight	3,5 kg
Produzione gomma / Rubber production	17 kg/h

N°	Code	Descrizione	Description
1	11790	Ugello "N"	Nozzle "N"
2	11794	Raccordo	Nozzle adapter
3	11795	Viti flangia (3 pz)	Screw for head cap (3 pcs)
4	11860	Flangia	Head
5	11829	Boccola	Front bushing
6	11861	Corpo	Central body
7	11798	Maniglia	Handle
8	11862	Tramoggia	Inlet
9	11862-1	Viti tramoggia (2 pz)	Inlet screw (2 pcs)
10	11883	Collare	Clamp
11	11830	Bronzina	Back bushing
12	11804	Vite estrusore "N"	Extruder screw "N"
13	11805	Giunto	Square Joint
14	11864	Reggispinta	Bearing
15	11879	Codolo reggispinta	Thrust bearing
16	11807	Codolo	Tang
17	11859	Pistola Bosch	Bosch Drill
18	11848	Resistenza 230V ("N") - (110V cod.11849)	Heat Element 230V ("N") - (110V item #11849)
19	11816	Termostato 0-120° C	Thermostat 0-120° C
20	11822	Lampada verde 230V (110V cod. 11821)	Green Pilot light 230V (110V item #11821)
21	11819-1	Manopola termostato 0-120° C	Thermostat Knob 0-120° C
22	11825	Cavo (presa USA cod. 11826)	Plug (American plug item #11826)
23	11871	Scatola impianto elettrico	Control box
24	11871-1	Viti scatola (4 pz)	Control box screws (4 pcs)
25	11827	Pressacavo	Strain relief

Esploso trapano Bosch 550W / Bosch Drive 550W schematic



Code	Bosch Spare parts (550W)	Posizione / Position
11919	Pignone	26
11914	Kit Palette	04
11915	Molla / Spring	69
11916	Sfera / Sphere	68
11917	Anello / Ring	79
11918	Piastra di tenuta / Bearing Plate	13



Estrusore Bosch VMR Mini / VMR Bosch Mini Extruder Gun



11957 - 230V

11961 - 110V



Potenza Trapano / Drill Power	550W
Potenza Elettrica / Electric Power	350W - 230/110V
Temperatura massima / Max temperature	120°
Peso / Weight	4,3 kg
Produzione gomma / Rubber production	18 kg/h

Estrusore VMR GIANT Bosch 750W / VMR OTR Extruder Bosch 750W



11922 - 230V

11960 - 110V



Potenza Trapano / Drill Power	750 W
Potenza Elettrica / Electric Power	800W - 230/110V
Temperatura max / Max temperature	120°
Peso / Weight	6 kg
Produzione gomma / Rubber production	28kg/h

Estrusore Black OTR VMR 1150W - Black OTR Extruder Gun 1150W

11850 - 230V

1150W



Potenza Trapano / Drill Power	1150 W
Potenza Elettrica / Electric Power	800W - 230 V
Temperatura Max / Max Temperature	120°
Peso / Weight	7,90 kg
Produzione di gomma / Rubber Production	37 kg/h

Estrusore Super OTR VMR 1700W - Super OTR Extruder Gun 1700W

11788 - 230V

1700 W



Potenza Trapano / Drill Power	1700 W
Potenza Elettrica / Electric Power	800W - 230 V
Temperatura Max / Max Temperature	120°
Peso / Weight	10,50 kg
Produzione di gomma / Rubber Production	40 kg/h

Estrusore CP 15 kg / CP Extruder 15 kg



11950 - 230V
11951 - 110V


Potenza Trapano / Drill Power	400 W
Potenza Elettrica / Electric Power	350W – 230 / 110V
Temperatura Max / Max Temperature	120°
Peso / Weight	3,85 kg
Produzione di gomma / Rubber Production	15kg/h

Estrusore CP Manta 750W - CP Manta 750W Extruder Gun



11843 - 230V
11844 - 110V

Potenza Trapano / Drill Power	750 W
Potenza Elettrica / Electric Power	350W - 230/110V
Temperatura max / Max temperature	120°
Peso / Weight	3,85 kg
Produzione gomma / Rubber production	17 kg/h



Code	Ricambi / Spare parts (Parte frontale / Barrel)	Suitable for the following extruder models
11804	Vite estrusore / Extruder screw "N"	Mini Bosch - Bosch 400W - Chicago - VMR Electrical
11840	Vite estrusore / Extruder screw "G"	EM - Giant Bosch - Black and Super OTR
11816	Termostato 0 - 120 °C / Thermostat 0 -120 °C	All models
11819-1	Manopola termostato gradi 0 - 120 °C / Thermostat knob 0 - 120 °C	All models
11822	Lampada Verde 230V - Pilot light 230V	All models
11848	Resistenza 230V ("N") - Heat Element 230V ("N")	Mini Bosch - Bosch 400W - Chicago - VMR Electrical
11813	Resistenza 230V ("G") - Heat Element 230V ("G")	EM - Giant Bosch - Black and Super OTR
11790	Ugello "N" / Nozzle "N"	Mini Bosch - Bosch 400W - Chicago - VMR Electrical
11835	Ugello "G" / Nozzle "G"	EM - Giant Bosch - Black and Super OTR

Code	Model/ Modello	Loading capacity/ Capacità di carico	Cable lenght/ Lunghezza del cavo
11781	3 - 6A	3 - 6 Kg	2,3 m
11782	8 - 11A	8 - 11 Kg	2,3 m




11754




11753 - Shore A 50/55


Code	Model
11753	Trafilatore in gomma per riempimento crateri Ø 10 mm - 5 kg / Hole filler strip Ø 10 mm - 5 kg
11754	Gomma per la pulizia dell'estrusore 3x18x300 mm / Cleaning rubber for extruders 3x18x300 mm - 1 box/5 rolls




14856



14857



14866



14865

Code	Tessuto in gomma / Rubber Textile / Textile en caoutchouc
14856	Steel cable textile Ø 1,4 mm THK 2,6 mm H 780 mm x 1m
14857	Steel cable textile THK 1 mm H 850 mm x 1m
14858	Nylon THK 1 mm H 1400 mm x 1m
14859	Ryon THK 1 mm H 1430 mm x 1m
14860	Aramid/Kevlar THK 1 mm H 1400 mm x 1m
14861	Aramid/Kevlar THK 0,75 mm H 1400 mm x 1m
14866	Cushion gum THK 1,2 mm L=800 mm Kg 20
14865	Cushion gum THK 1,2 mm L=400 mm Kg 10



11651



11652



11660



11663



11666

Code	Gessi / Crayons / Craies / Tizas
11651	Bianco / White / Blanc Ø 13 x 115 box 12 pcs
11652	Giallo / Yellow / Jaune Ø 13 x 115 box 12 pcs
11659	Blu / Blue / Bleu Ø 17 x 115 box 12 pcs
11660	Bianco / White / Blanc Ø 17 x 115 box 12 pcs
11661	Giallo / Yellow / Jaune Ø 17 x 115 box 12 pcs
11663	Rosso / Red / Rouge Ø 17 x 115 box 12 pcs
11664	Verde / Green / Vert Ø 17 x 115 box 12 pcs
11666	Porta gesso Ø 13 / Crayones holder Ø 13



10867



10872



10871



10870




10889



*HANGING SYSTEM ALSO AVAILABLE

Code	Model
10867	Flexible shaft buffers Ø 10 - 1,1 Kw - 380V - 50Hz
10868	Flexible shaft buffers Ø 12 - 1,1 Kw - 380V - 50Hz
10869	Hanging flexible shaft buffers Ø 10 - 1,1 Kw - 380V - 50Hz
10869-1	Hanging flexible shaft buffers Ø 12 - 1,1 Kw - 380V - 50Hz
10870	Metal cover Ø 10
10871	Spare inner shaft Ø 10
10872	Metal cover Ø 12
10873	Spare inner shaft Ø 12
10889	Threaded paddle for flexible shaft
10876	Adapter for flexible shaft buffer Ø 10
10887	Conical adapter Ø 12-15 with 3/8" UNF thread for flexible buffer
10516	Black quick-change chuck 3/8" x 24 mm



10516

10887

10876



Code	Portalame / Bladeholder / Porte lame à ébarber
12540	Portalame vettura con appoggio regolabile / Adjustable bladeholder / Réglable porta lame
12541	Portalame gigante e regolabile / Giant and adjustable bladeholder / Porte lame à ébarber poids-lourds et réglable
12536	Portalame piatto / Flat bladeholder / Porte lame à ébarber plat
12542	Lama 7 denti / Blade 7 teeth / Lame 7 dents
12543	Lama 9 denti / Blade 9 teeth / Lame 9 dents
12545	Lama 4 denti / Blade 4 teeth / Lame 4 dents
12547	Lama gigante 14 denti curvi / Giant blade 14 curved teeth / Lame géant 14 dents courbe
12550	Trincetto 1 dente / Paring knife 1 tooth / Tranchet 1 dent
12546	Lama gigante 14 denti / Giant blade 14 teeth / Lame géant 14 dents
12544	Lama vettura 18 denti / Blade 18 teeth / Lame 18 dents
12561	Coltello per sbavatura 5 denti / 5 teeth paring knife / Tranchet 5 dents 100 x 45 mm 100 x 45 mm



Code	Tools
12612	Contenitore per colle / Glue boxes / Pot de colle
12613	Spazzola e coperchio per contenitore / Spare lid and brush for glue box / Couvercle et brosse pour le pot de colle 12612
10586	Martello pneumatico/ Pneumatic hammer/ Marteau pneumatique
14862	Talco / Tire talc / Talc / Talco
10587	Martello pneumatico per pneumatici MT / Heavy duty pneumatic hammer / Marteau pneumatique pour pneu GC
12556	Martello in gomma / Rubber Hammer / Marteau Ø. 50 mm - g 500




12815-2



12814




12807




12824



12816



12792
12793



12802

12795



12834



12836



12838

Code	Accessories
12792	Poly roll 1000 m x 350 mm
12793	Poly roll 1000 m x 450 mm
12795	Tubo per autoclave con molla di protezione 1/4" Autoclave hose with protection spring 1/4" Autoclave tuyau avec ressort de protection 1/4"
12802	Tubo per autoclave 1/4" Autoclave hose 1/4" / Autoclave tuyau 1/4"
12834	Pennino piccolo blu / Small blue pen / Pointe bleu petite
12835	Pennino piccolo rosso / Small red pen / Pointe rouge petite
12836	Pennino medio blu / Medium blue pen / Pointe moyenne bleu
12837	Pennino medio rosso / Medium red pen / Pointe moyenne rouge
12838	Pennino grande verde / Big green pen / Pointe grande vert
12814	Colla al silicone per guarnizioni / Silicone adhesive for gaskets / Adhésif silicone pour joints 100g
12815-2	Grasso di silicone distaccante / Silicone Release Grease / Graisse de démoulage silicone -40°C / +200°C - 5 kg



Code	Gasket model
12807	Guarnizione per autoclave ad anello chiuso Irop / Irop gasket
12808	Guarnizione per autoclave ad anello chiuso Italmatic / Italmatic gasket
12809	Guarnizione per autoclave ad anello chiuso Magnabosco / Magnabosco gasket
12810	Guarnizione per autoclave ad anello chiuso RTS (Marangoni) / RTS (Marangoni) gasket
12811	Guarnizione per autoclave ad anello chiuso Scholz / Scholz gasket
12812	Guarnizione per autoclave ad anello chiuso TRM-Bandag / TRM-Bandag gasket

Code	Diagram model
12819	Diagrammi per autoclave / Charts mod. 1052
12821	Diagrammi per autoclave / Charts mod. 1246
12824	Diagrammi per autoclave / Charts mod. 6009
12826	Diagrammi per autoclave / Charts mod. 650-00100
12816	Diagrammi a fisarmonica / Folded charts mod. GD128970U050
12816-1	Diagrammi a fisarmonica / Folded charts mod. GD128970U075
12816-2	Diagrammi a fisarmonica / Folded charts mod. GD128971U050

* Su richiesta sono disponibili altri modelli/
On-request other models available


Attacchi rapidi F Quick Coupler F	Attacchi rapidi M Adapter M	Riduzioni per attacchi rapidi Adapter for coupler	Valvole per envelopes Valve for envelopes
BH1-60Y-4FP 1/4" F  12919	BH61-711 F M12V1  12918	NON NECESSARIO/ NOT NEEDED	M 12V1  12902
1/4" F  12911 CON RITEGNO/ WITH CHECK VALUE	1/4" F  12910 CON RITEGNO/ WITH CHECK VALUE	1/4" M  F 12V1 12907	M 12V1  12902
1/4" F  12909	1/4" F  12908	1/4" M  F 12V1 12907	M 12V1  12902
1/4" F  12921	1/4" F  12920	1/4" M  F 12V1 12907	M 12V1  12902
1/4" F  12913 SENZA RITEGNO/ WITHOUT CHECK VALUE	1/4" F  12912 SENZA RITEGNO/ WITHOUT CHECK VALUE	1/4" M  F 12V1 12907	M 12V1  12902
1/4" F  12921	12V1 F  12920-1	NON NECESSARIO/ NOT NEEDED	M 12V1  12902
BH1-60Y-4FP 1/4" F  12919	NON NECESSARIO/ NOT NEEDED	NON NECESSARIO/ NOT NEEDED	 12941

Valvola adatta per tutti gli attacchi/
Valve suitable for all the couplers



OUTER ENVELOPPES

Code	Model	MFG	Out. diam. x bead/bead	Size of suggested tires
13246	VMR CMT OUTER-21	EX-11 / 2XX / SL12 / SL13	mm 1280x650	315/75 R24.5 - 305/80 R24.5 - 295/80 R24.5 - 285/80 R24.5 - 275/80 R24.5 - 12R24.5 - 435/50 R22.5 - 385/65 R22.5 - 315/80 R22.5 - 15R22.5 - 13R22.5 - 10/11.00R22 - 365/80 R20 - 335/80 R20 - 12.00R20 - 13/80R20 - 14/80R20 - 445/55 R19.5 - 445/45 R19.5 315/70 R22.5 - 435/50 R19.5 - 425/55 R19.5
13248	VMR CMT OUTER-19	EX-9 / 3XX / SL11/12 / SL12	mm 1230x670	305/75 R24.5 - 295/75 R24.5 - 285/75 R 24.5 - 385/65 R22.5 - 315/80 R22.5 - 295/80 R22.5 - 315/75 R22.5 - 315/70 R22.5 - 305/70 R22.5 - 315/60 R22.5 - 305/60 R22.5 - 305/75 R22.5 - 12R22.5 - 12/70R22.5 - 13/70R22.5 - 13/75R22.5 - 13R22.5 - 11-00R20 - 11R24.5 - 295/80 R22.5 - 295/75 R22.5 - 275/80 R22.5 - 255/80 R22.5 - 275/70 R22.5 - 255/70 R22.5 - 295/60 R22.5 - 285/60 R22.5 - 12R22.5 - 11/70 R22.5 - 11R22.5 - 10R22.5 - 10.00 R20 - 9.00 R20 - 305/70 R19.5 - 285/70 R19.5
13252	VMR CMT OUTER-15	EX-5 / 5XX / SL8 / SL76	mm 1030x520	9R22.5 - 8R22.5 - 8.25R20 - 7.50R20 - 7.00R20 - 6.50R20 - 215/75 R 19.5 - 265/70 R19.5 - 245/70 R19.5 - 235/70 R19.5 - 225/70 R19.5 - 9.5R19.5 - 9R19.5 - 8R19.5 - 7R19.5 - 10.5R15 - 10R15
13254	VMR CMT OUTER-13	EX-3 / 6XX / SL7 / SL6	mm 930x500	245/70 - R17.5 - 235/75 R17.5 - 225/75 R17.5 - 215/75 R17.5 - 205/75 R17.5 - 10R17.5 - 9.5R17.5 - 9R17.5 - 8.5R17.5 - 8R17.5 - 235/65 R16 - 225/75 R16 - 215/75 R16 - 8.25R16 - 8.25R15 - 205/75 R16 - 195/75 R16 - 185/75 R16 - 175/75 R16 - 215R16 - 205R16 - 195R16 - 185R16 - 175R16 - 7.50R16 - 7.00R16 - 6.50R16 - 6.00R16 - 7.50R15 - 7.00R15
13256	VMR CMT OUTER-10	EX-1 / 7XX / SL7 / SL4	mm 870x420	



Code	Model
13362	Rubber wicking pad 1390 x 170 (1136)
13363	Rubber wicking pad 1300 x 180 (1138)
13364	Rubber wicking pad 850 x 150 (1144)



INNER ENVELOPES

Code	Model	MFG	Out. diam. x bead/bead	Size of suggested tires
13231	VMR CMT INNER-41	IN-11 / 1INN / 1300x500	mm 1300x950x500	445/65 R22.5 - 425/65 R22.5 - 18R22.5 - 16.5R22.5
13234	VMR CMT INNER-39	IN-9 / 2CINN / 1200x560	mm 1200x940x560	305/80 R24.5 - 295/80 R24.5 - 275/80 R25.4 - 285/75 R24.5 - 315/75 R24.5 - 305/75 R24.5 - 295/75 R24.5 - 285/75 R24.5 - 12R 24.5 - 11R24.5 - 12.00R24 - 11.00R24 - 295/80 - R24.5
13235	VMR CMT INNER-38	IN-8 / 2BINN / 2INN / 1100x480S	mm 1150x930x480	455/55 R22.5 - 385/65 R22.5 - 385/80 R22.5 - 315/80R22.5 - 15R22.5 - 13R22.5 - 10/11R22 - 365/80 R20 - 14/80R20 - 14.00R20 - 13/80R20 - 13.00R20 - 12.00R20 - 445/65 R19.5 - 18R19.5 - 16.6R19.5 - 15R19.5
13236	VMR CMT INNER-37	IN-7 / 3INN / 1060x480S	mm 1080x900x480	13R22.5 - 13/17R22.5 - 12R22.5 - 11R22.5 - 295/80 R22.5 - 75/80 R 22.5 - 315/75 R22.5 -13/75R22.5 - 315/70 R22.5 - 305/70 R22.5 - 455/45 R22.5 - 385/55 R22.5 - 11.0R20 - 10.00R20 - 425/55 R19.5
13239	VMR CMT INNER-34	IN-4 / 5INN / 960x480S	mm 950x465x720	295/60 R22.5 - 285/60 R22.5 - 9R22.5 - 8R22.5 - 8.25R20 - 7.50R20 - 7.00R20 - 6.50R20 - 215/75 R19.5 - 285/70 R19.5 - 265/70 R19.5 - 245/70 R19.5 - 235/70 R19.5 - 225/75 R19.5 - 225/70 R19.5 - 9.5R19.5 435/50 R19.5 - 9R19.5 - 8R19.5 - 7R19.5
13240	VMR CMT INNER-35	IN-5 / 4INN / 1010x480S	mm 1030x850x480	12/70R22.5 - 11/70R22.5 - 11/R22.5 - 10R22.5 - 275/80 R22.5 - 255/80 R22.5 - 295/75 R22.5 - 305/70 R22.5 - 285/70 R22.5 - 275/70 R22.5 - 255/70 R22.5 - 315/60 R22.5 - 305/60 R22.5 - 385/55 R22.5 - 435/50 R22.5 - 445/50 R22.5 - 9.00R20 - 10.00R20 - 445/45 R19.5 - 8.25R20 - 305/70 R19.5 - 285/70 R19.5 - 12R16.5
13242	VMR CMT INNER-33	IN-3 / 6BINN / 880x380	mm 880x380x700	10R17.5 - 9.5R17.5 - 8.25R16 - 7.50R16 - 7.00R16 - 8.25R15 - 7.50R15 7.00R15
13243	VMR CMT INNER-32	IN-2 / 6INN / 880x380	mm 800x670x380	9.5 R17.5 - 9R17.5 - 8.5R17.5 - 8R17.5 - 245/75 R17.5 - 245/70 R17.5 - 235/75 R17.5 - 225/75 R17.7 - 15/75 R17.5 - 205/75 R17.5 - 225/75 R16 - 215/75 R16 - 215R16 - 205R16 - 205/75 R16 - 10.5R15 - 235/65 R16 - 10R15
13244	VMR CMT INNER-31	IN-1 / 7INN / 700x315	mm 700x315x600	10R16.5 - 205/75 R16 - 195/75 R16 - 185/75 R16 - 650R16 - 600R16 - 250/70 R15 - 700R15 - 205R14 - 195R14



Poma di vuoto GVS 40A 3PH /
Vacuum Pump GVS 40A 3PH

12806

STN OUTER ENVELOPES



Code	MFG	Out. diam. x bead/bead	Size of suggested tires
23229	STN 42X28	mm 1080 x 732	385/65R22.5 - 12R22.5 - 315/80R22.5 - 1100R20
23230	STN 41X28	mm 1060 x 670	1100R20 - 315/80R22.5 - 11R24.5
23231	STN 40X26	mm 1040 x 670	295/80R22.5 - 315/60R22.5 - 11R22.5 - 1000R20 - 235/75R22.5 - 275/80R22.5 - 285/75R24.5 - 445/45R19.5 - 425/45R19.5 - 315/70R22.5 - 295/75R22.5
23232	STN 38X23	mm 1000 x 605	305/70R19.5 - 825R20 - 900R20 - 10R22.5 - 275/70R22.5 - 305/60R22.5
23233	STN 35X21	mm 910 x 551	245/70R19.5 - 285/70R19.5 - 265/70R19.5
23234	STN 31X20	mm 800 x 502	235/75R17.5 - 205/75R17.5 - 225/70R17.5
23235	STN 29X22	mm 750 x 576	750-R16 - 215/75R16 - 825R16 - 8/8.5R17.5
23236	STN 28X17	mm 715 x 441	600R16 - 650R16 - 700R16

STN OUTER ENVELOPES (ARC-SYSTEM)

Code	MFG	Out. diam. x bead/bead	Size of suggested tires
23241	ARC STN 42X36	mm 1080 x 952	12R22.5 - 315/80R22.5 - 1100R20
23242	ARC STN 42X34	mm 1080 x 902	11R24.5
23243	ARC STN 41X34	mm 1060 x 878	11R22.5 - 315/70R22.5
23244	ARC STN 40X34	mm 1040 x 870	295/80R22.5 - 305/70R22.5 - 11R22.5
23245	ARC STN 40X32	mm 1040 x 830	295/75R22.5 - 275/80R22.5 - 285/75R24.5
23246	ARC STN 38X32	mm 1000 x 800	275/70R22.5 - 10R22.5 - 305/70R19.5 - 900R20 - 825R20
23247	ARC STN 35X29	mm 910 x 751.2	255/70R22.5 - 265/70R22.5 - 265/70R19.5 - 285/70R19.5
23248	ARC STN 31X26	mm 800 x 662	245/70R22.5 - 265/70R22.5 - 225/70R19.5 - 225/70R22.5
23249	ARC STN 29X25	mm 750 x 656	215/70R16 - 215/85R16 - 225/75R16 - 8/8.5R17.5 - 825R16



Items **13532**, **13533** and **13533-1** (size 22.5") are a new design and made in Italy

Code	Models
13530	Anelli Arc System 24.5 completo (gomma+ metallo) / Rings for Arc System 24.5 complete (rubber+ metal rings)
13531	Ricambio gomma per Arc System 24.5 (coppia) / Replacement rubber rings for Arc System 24.5 (pair)
13531-1	Ricambio in metallo per Arc System 24.5 / Metal ring for Arc System 24.5
13532	Anelli Arc System 22.5 completo (gomma+ metallo) / Rings for Arc System 22.5 complete (rubber+ metal rings)
13533	Ricambio gomma per Arc System 22.5 (coppia) / Replacement rubber rings for Arc System 22.5 (pair)
13533-1	Ricambio in metallo per Arc System 22.5 / Metal ring for Arc System 22.5
13534	Anelli Arc System 19.5 completo (gomma+ metallo) / Rings for Arc System 19.5 complete (rubber+ metal rings)
13535	Ricambio gomma Arc System 19.5 (coppia) / Replacement rubber rings for Arc System 19.5 (pair)
13535-1	Ricambio in metallo per Arc System 19.5 / Metal ring for Arc System 19.5
13536	Anelli Arc System 17.5 completo (gomma+ metallo) / Rings for Arc System 17.5 complete (rubber+ metal rings)
13537	Ricambio gomma Arc Systems 17.5 (coppia) / Replacement rubber rings for Arc System 17.5 (pair)
13537-1	Ricambio in metallo per Arc System 17.5 / Metal ring for Arc System 17.5

ST OUTER ENVELOPES

Code	MFG	Out. diam. x bead/bead	Size of suggested tires
13790	ST 44 x 32	1143 x 790 mm / 45 x31 inch	1200-20; 1300-20; 365/80-20; 13-22.5 ; 15-22.5; 445/65-22.5 ;1200-24; 425/65-22.5
13785	ST 42 X 28	1080 x 710 mm / 42.5 x 27.9 inch	385/65-22.5; 12-22.5; 1100-20
13789	ST 41 X 28	1148 x 715 mm / 45 x 28 inch	1100-20; 315/80-22.5; 11-24.5
13786	ST 40 X 26-A	1050 x 700 mm / 41.3 x 27.5 inch	295/80-22.5; 315/60-22.5; 315/70-22.5, 12-22.5; 1000-20; 295/75-22.5; 275/80-22.5; 285/75-24.5; 445/45-19.5; 425/45-19.5
13785	ST 40 X 26	1040 x 870 mm / 41.9 x 26,3 inch	1000-20; 295/75-22.5; 275/80-22.5; 285/75-24.5
13791	ST 38 X 23	1020 x 600 mm / 40 x 23.6 inch	305/70-19.5; 825-20; 900-20; 10-22.5; 275/70-22.5; 305/60-22.5
13788	ST 35 X 21	941 x 545 mm / 37 x 21.4 inch	245/70-19.5; 285/70-19.5; 265/70-19.5
13780	ST 31 X 20	790 x 508 mm / 31 x 20 inch	750-16; 825-16; 205/75-17.5; 8-17.5; 225/70-17.5; 235/75-17.5
13792	ST 29 X 22	745 x 545 mm / 29 x 21.4 inch	215/75-16;
13787	ST 28 X 17	739 x 434 mm / 29 x 17 inch	600-16; 650-16; 700-16

ST OUTER ENVELOPES (ARC-SYSTEM)

Code	MFG	Out. diam. x bead/bead	Size of suggested tires
13360	ST 44 x 38 ARC	1143 x 970 mm / 45 x 38 inch	1200-20; 385/65-22.5; 15-22.5; 13-22.5; 445/65-22.5; 1200-24; 315/80-22.5
13376	ST 44 x 36 ARC	1143 x 920 mm / 45 x 36.2 inch	385/65-22.5
13377	ST 42 x 36 ARC	1080 x 920 mm / 42.5 x 34.2 inch	315/80-22.5; 12-22.5; 1100-20
13378	ST 42 X 34 ARC	1080 x 870 mm / 42.5 x 36,2 inch	11-24.5
13361	ST 41 X 34 ARC	1148 x 870 mm / 45 x 34.2 inch	11-22.5; 315/70-22.5
13359	ST 40 x 34 ARC	1040 x 870 mm / 40.9 x 34,2 inch	295/80-22.5;11-22.5; 305/70-22.5
13379	ST 40 x 32 ARC	1040 x 830 mm / 40.9 x 32.7 inch	295/75-22.5; 275/80-22.5; 285/75-24.5
13380	ST 38 x 32 ARC	980 x 795 mm / 38.5 x 31.3 inch	275/70-22.5; 10-22.5
13381	ST 35 x 29 ARC	910 x 740 mm / 35.8 x 29 inch	255/70-22.5; 265/70-22.5; 265/70-19.5; 285/70-19.5
13382	ST 35 x 27 ARC	910 x 685 mm / 35.8 x 27 inch	245/70-19.5
13383	ST 32 X 26 ARC	825 x 665 mm / 32.5 x 26.2 inch	245/70-22.5; 265/70-22.5
13384	ST 32 X 24 ARC	825 x 615 m / 32.5 x 24.2 inch	225/70-19.5; 225/70-22.5
13385	ST 29 X 25 ARC	745 x 620 mm / 29.3 x 24.4 inch	215/70-16; 215/85-16; 225/75-16

SL OUTER ENVELOPES

Code	MFG	Out. diam. x bead/bead	Size of suggested tires
13304	SL-14	1238 x 965 mm 48 x 38 inch	1400-24; 1400-25
13305	SL-13	1130 x 800 mm 44,4 x 31,5 inch	445/65-22.5; 385/65-22.5; 15-22.5; 13-22.5; 425/65-22.5; 1200-24
13306	SL-12	1160 x 780 mm 45,6 x 28,7 inch	1200-20; 1300-20; 395/80-20; 13-22.5; 15-22.5; 385/65-22.5; 285/75-24.5
13307	SL-11/12	1067 x 710 mm 42 x 28 inch	1100-20; 1200-20; 1100-22; 11-24.5; 455/45-22.5; 385/55-22.5; 12-22.5; 315/80-22.5; 445/65-19.6
13308	SL-11	1020 x 700 mm 40 x 28,4 inch	1100-20; 11-22.5; 12-22.5; 315/75-22.5
13309	SL-10	1000 x 700 mm 39,3 x 27,6 inch	1000-20; 11-22.5; 275/70-22.5; 295/80-22.5; 305/70-22.5; 315/70-22.5; 425/55-19.5; 275/80-22.5
13310	SL-9	960 x 630 mm 37,8 x 24,8 inch	900-20; 10-22.5; 305/70-19.5; 305/60-22.5
13311	SL-8	945 x 570 mm 37,4 x 22,4 inch	700-20; 750-20; 825-20; 8-22.5; 9-22.5; 9-22.5; 255/70-22.5; 305/70-19.5
13312	SL-78	890 x 590 mm 35 x 23,2 inch	900-15; 10-15; 10-17.5; 285/70-19.5; 650-20
13313	SL-76	840 x 540 mm 33 x 22 inch	825-15; 825-16; 245/70-19.5; 265/70-19.5
13314	SL-7	795 x 500 mm 31,3 x 20 inch	750-15; 825-15; 10-15; 300-15; 205-16; 215-16; 750-16; 215/75-16; 225/75-16; 10-16.5; 12-16.5; 8.5-17.5; 9.5-17.5; 235/70-19.5; 245/70-19.5
13315	SL-6	714 x 440 mm 28 x 17,3 inch	215-14; 700-15; 215-15; 235/75-15; 250-15; 28x9-15; 205/75-16; 700-16; 215/75-17.5; 8-17.5
13316	SL-4	650 x 430 mm 25,6 x 17 mm	195-14; 205-14; 185-15; 600-16; 650-16; 175/75-16; 185-16; 195-16; 7-17.5; 700-12; 270x10-12
13317	SL-2	610 x 380 mm 24 x 15 inch	165-13; 165-14; 165/70-14; 175-14; 175/70-14; 185-14; 185/75-14; 750-10; 23x10-12; 700-12
13318	SL-1	530 x 390 mm 20,8 x 14,9 inch	23x9-10; 650-10
13319	SL-0	525 x 335 mm 20,6 x 13,1 inch	21x8-9; 600-9
13320	SMALL	510 x 350 mm 19,5 x 14,1 inch	200x50-10
13321	18X13	457 x 330 mm 18 x 13 inch	16x6-8; 18x7-8; 500-8



CURING TUBES (TYPE U)

Code	Rim	Size
13065	15"	750-15
13066	16"	700-16
13067	16"	750-16
13067-1	16"	825-16
13068	17"	750-17
13069	20"	825-20
13070	20"	900-20
13071	20"	1000-20
13072	20"	1100-20
13073	20"	1200-20
13074	22.5"	275/295-22.5
13074-1	22.5"	315/80-22.5
13074-2	22.5"	385/80-22.5
13075	22.5"	11-22/22.5
13076	24.5"	11-24.5

OUTER ENVELOPES (ARC-SYSTEM)




Code	MFG	Out. diam. x bead/bead	Size of suggested tires
13344	48 x 45	1238 x 1143 mm 48,7 x 45 inch	1400-24; 445/65-22.5; 425/65-22.5; 455/55-22.5
13345	44 x 38	1130 x 980 mm 44,4 x 38,5 inch	1200-20; 385/65-22.5; 15-22.5; 1200-24; 13-22.5; 445/65-19.5; 425/65-22.5
13346	44 x 36	1130 x 915 mm 44,4 x 36 inch	385/65-22.5
13347	42 x 36	1075 x 920 mm 42,3 x 36,2 inch	315/80-22.5; 315/75-22.5, 12-22.5; 335/80-20; 13/80-20; 12/80-20
13348	42 x 34	1075 x 864 mm 42,3 x 34 inch	11-24.5; 295/80-24.5; 12-22.5; 305/85-22.5
13349	40 x 34	1020 x 870 mm 40 x 34,2 inch	385/55-22.5; 285/75-24.5; 11-22.5; 10-22.5; 315/70-22.5; 295/80-22.5
13350	40 x 32	1020 x 813 mm 40 x 32 inch	285/75-24.5; 305/70-22.5; 295/70-22.5; 295/75-22.5; 295/80-22.5; 11-22.5; 1100-20; 1000-20
13351	35 x 31	889 x 787 mm 35 x 31 inch	275/70-22.5
13352	35 x 29	889 x 752 mm 35 x 29,6 inch	275/70-22.5; 265/70-22.5; 255/70-22.5; 245/75-22.5; 305/70-19.5; 285/70-19.5; 245/70-19.5
13353	32 x 28	816 x 712 mm 32,1 x 28 inch	265/70-19.5; 235/70-19.5; 245/65-19.5; 245/70-19.5; 225/90-17.5; 9.5-17.5; 825-16
13354	32 x 26	816 x 660 mm 32,1 x 26 inch	225/70-19.5; 225/75-17.5; 235/75-17.5; 245/75-16
13355	29 x 25	725 x 650 mm 28,5 x 25,6 inch	215/75-17.5; 700-16; 225/75-16; 205/75-16; 750-16; 215/85-16; 215/75-15
13356	27 x 21	680 x 590 mm 26,8 x 23,2 inch	185/75-16; 195/75-16; 195/75-14

XL OUTER ENVELOPES

Code	MFG	Out. diam. x bead/bead	Size of suggested tires
13334	XL-14	1238x1070 mm 48x42 inch	1400-24; 1400-25
13335	XL-13	1130 x 880 mm 44,4 x 34,6 inch	1200-20; 385/65-22.5; 15-22.5; 445/65-19.5; 13-22.5; 425/65-22.5; 1200-24
13336	XL-11/12	1067 x 790 mm 42 x 31 inch	315/80-22.5; 11-22.5; 12-22.5; 1100-20; 1200-20
13337	XL-11	1020 x 770 mm 40 x 30 inch	305/70-22.5; 315/70-22.5; 11-22.5; 10-22.5*
13338	XL-10	1000 x 740 mm 39 x 29 inch	275/80-22.5; 295/80-22.5; 305/70-19.5; 1000-20; 9-22.5*; 265/75-22.5*
13339	XL-9	960 x 660 mm 37,8 x 26 inch	900-20
13340	XL-8	945 x 640 mm 37 x 25 inch	700-20; 750-20; 825-20;
13341	XL-76	840 x 570 mm 33 x 23 inch	245/70-19.5
13342	XL-7	795 x 600 mm 31 x 24 inch	8-17.5; 8.5-17.5; 750-16; 205-16
13343	XL-6	714 x 465 28 x 18,3 inch	215/75-17.5

INNER ENVELOPES

Code	MFG	Dimensions (a) x (b) x (c) mm	Size of suggested tires
13322	1340X560	1340 x 560 x 970 MM	1100-24; 1200-24; 1300-24; 1400-24; 12-24.5
13323	1300X500	1300 x 500 x 900 MM	16.5-22.5; 18-22.5; 425/65-22.5; 445/65-22.5
13324	1200X560	1200 x 560 x 870 MM	285/75-24.5; 295/75-24.5; 305/75-24.5; 315/75-24.5; 285/80-24.5; 295/80-24.5; 305/80-24.5
13775	1180 X 580 S	1180 X 580 X 940 MM	11-24.5
13781	1160 x 540 S	1160 X 540 X 930 MM	315/80-22.5 ; 15-22.5
13326	1160X480	1160 x 480 x 900 MM	1200-20; 1300-20; 13.80-20; 14.80-20; 365/80-20; 15-22.5; 385/65-22.5; 1400-20
13782	1100 X 540 S	1100 X 540 X 930 MM	1100-22 ;12-22.5 ;13-22.5 ; 385/65-22.5 ;15-22.5 ; 305/70-22.5 ; 315/75-22.5 ; 315/80-22.5
13779	1100 X 480 S	1100 x 480 x 930 MM	1100-20; 1200-20; 1100-22; 425/55-19.5; 12-22.5; 13-22.5; 15-22.5; 305/70-22.5; 315/75-22.5; 315/80-22.5; 385/65-22.5; 315/70-22.5
13783	1060 x 540 S	1060 X 540 X 900 MM	275/80-22.5 ; 295/80-22.5 ;305/70-22.5 ;11-22.5 1100-22 ;12-22.5 ;13-22.5 ; 385/65-22.5 ; 15-22.5 315/75-22.5
13778	1060 X 480 S	1060 x 480 x 900 MM	455/45-22.5; 385/55-22.5; 295/80-22.5; 275/80-22.5; 11-22.5
13777	1010 X 480 S	1010 x 480 x 840 MM	825-20; 900-20; 1000-20; 10-22.5; 305/70-19.5; 305/60-22.5; 12-16.5; 315/60-22.5; 255/70-22.5; 275/70-22.5; 285/70-22.5; 305/70-22.5; 445/45-19.5
13873-1	930 X 465 S	930 X 465 X 700 MM	225/70-19.5 ; 245/70-19.5
13330	960X440	960 x 440 x 690 MM	265/70-19.5; 285/70-19.5; 435/50-19.5
13331	880X380	880 x 380 x 675 MM	825-15; 825-16; 9.5-17.5; 10-17.5
13332	780X400	780 x 400 x 640 MM	750-15; 700-16; 750-16; 215/75-16; 225/75-16; 8-17.5; 8.5-17.5; 9-17.5; 205/75-17.5; 215/75-17.5; 235/75-17.5
13333	700X315	700 x 315 x 570 MM	195-14; 205-14; 215-14; 250/70-15; 700-15; 10-16.5; 185/75-16; 195/75-16; 600-16; 650-16; 205/75-16



* ø 540 tight fit on the bead for rim 22,5" | ø 540 aderente al tallone per cerchio 22,5"
 * ø 580 tight fit on the bead for rim 24,5" | ø 580 aderente al tallone per cerchio 24,5"

⁽¹⁾ Outside diameter | Diametro esterno
⁽²⁾ Inside diameter | Diametro interno
⁽³⁾ Sidewall flap diameter | Diametro falda laterale



TRACTOR CURING TUBES - DOBERMANN

Code	Ø	Size*
13077	24	11.2/12.4 R24
13081	25	16.00/18.00 R25 - 15.5/17 R25
13079	28	14.9/16.9/18.4 R28
13080	30	14.9/16.9/18.4 R 30
13082	34	14.9/16.9/18.4 R 34

CURING TUBES (TYPE R)

Code	Ø	Size
13033	14	195-14; 195/70-14; 205-14; 205/70-14; 215-14; 735-14; 750-14
13034	14	175-14; 185/70-14; 185-14; 640-14; 670-14; 700-14
13035	15	205-15; 215-15; 205/70-15; 215/70-15; 205/50-16; 215/55-16; 750-15; 31.10/50-15; 235/75-15; 225/60-16
13036	16	185-16; 185/70-16; 195-16; 195/75-16; 650-16; 19X400; 7-17.5
13037	16	205-16; 205/75-16; 700-16
13038	16	750-16; 825-15; 205/75-17.5; 10-16.5; 235/70-16
13039	16	825-16; 825-15; 12-16.5; 37x16; 265/70-16; 265/60-16
13040	19.5	265/70-19.5; 285/70-19.5; 10.5-18; 12.5-18
13041	19.5	305/70-19.5
13042	20	750-20
13043	20	825-20 (9-25.5)
13044	20	900-20 (10-22.5)
13045	20	1000-20 (275/70-22.5; 295/70-22.5)
13046	20	1100-20
13047	20	1200-20; 1300-20; 1400-20; 14/75-20; 14/80-20
13048	22.5	11-22.5; 12-22.5; 295/75-22.5; 275/80-22.5; 295/80-22.5; 1100-22
13049	22.5	315/80-22.5; 315/70-22.5; 13-22.5; 15-22.5; 16.5-22.5
13049-1	22.5	385/65-22.5
13050	24	1200-24; 1300-24; 1400-24; 13/1400-25; 15.5-25; 17.5-25
13051	24.5	11-24.5; 1100-24



12928
MFG-1121



12929
MFG-1120



12930
MFG-1119

BUTYL FLAPS

Code	MFG	Size
13054	B-16	600/640/650/700/750-16
13055	B-20	750/825/900-20
13056	E-20	10/11/1200-20
13057	P-22.5	315/80-22.5; 11/12/13-22.5
13058	F-24	1300-24; 1400-24
13059	F-25	15/17.5-25
13060	F-25 L	20.5-25; 23.5-25
13061	F-28	13-28
13062	F-30	RIM 30"
13063	F-34	RIM 34"
13064	F-38	RIM 38"




CURING TUBES (TYPE S)

Code	Ø	Size
12982	-	Piastrella Grande Per Camera Di Cottura / Rubber Base Protectors - Large Type
12983	-	Piastrella Piccola Per Camera Di Cottura / Rubber Base Protectors - Small Type
12987	10	400-10; 450-10
12988	10	145-10; 520-10; 600-9
12989	12	125-12; 400-12; 440-12
12990	12	135-12; 480-12; 145/70-12
12991	12	145-12; 155-12; 520-12; 550-12; 560-12; 600-12; 650-10
12992	13	135-13; 520-13; 145/70-13
12993	13	145-13; 550-13; 155/70-13; 145/80-13
12994	13	150-13; 155-13; 615-13; 165/70-13; 165/65-13
12995	13	165-13; 175/70-13; 560-13; 590-13; 600-13
12996	13	175-13; 170-13; 640-13; 185/70-13; 700-12
12997	13	185/60-13
12998	14	145-14; 520-14; 165/65-14
12999	14	155-14; 560-14; 600-14; 165/65-14
13000	14	165-14; 165/70-14; 590-14; 650-14; 175/70-14; 175/65-14
13001	14	175-14; 185/70-14; 185-14; 640-14; 670-14; 700-14
13002	14	185/60-14; 195/60-14; 185/65-14; 195/65-14; 195/50-15
13003	14	195-14; 195/70-14; 205-14; 205/70-14; 215-14; 735-14; 750-14
13004	14	215/225/70-14
13006	15	125-15; 135-15; 145-15
13007	15	155-15; 165-15; 560-15; 590-15; 600-15
13008	15	640-15; 650-15; 670-15
13009	15	175-15; 185-15; 700-15
13010	15	185/60-15; 195/60-15; 185/65-15; 195/65-15; 205/55-15; 235/75-15; 205/60-15; 205/60-15; 195/50-15
13011	15	205-15; 215-15; 205/70-15; 215/70-15; 205/50-16; 215/55-16; 750-15; 31.10/50-15; 235/75-15; 225/60-16
13012	15	650/670-15
13013	16	175-16; 175/75-16; 600-16; 640-16
13014	16	185-16; 185/70-16; 195-16; 195/75-16; 650-16; 19x400; 7-17.5
13015	16	205-16; 205/75-16; 700-16
13016	16	205/55-16
13017	16	750-16; 825-15; 205/75-17.5; 10-16.5; 235/70-16
13018	16	825-16; 825-15; 12-16.5; 37x16; 265/70-16; 265/60-16
13019	17	225/45-17; 225/45-18; 225/50-17
13020	17.5	8-17.5; 8.5-17.5; 205/75-17.5; 215/75-17.5; 225/75-17.5; 235/75-17.5; 255/55-18; 235/60-18
13021	18	235/40-18
13022	20	750-20
13023	20	825-20 (9-25.5)
13024	20	900-20 (10-22.5)
13025	20	1000-20 (275/70-22.5; 295/70-22.5)
13026	20	1100-20
13027	20	1200-20; 1300-20; 1400-20; 14/75-20; 14/80-20
13028	22.5	11-22.5; 12-22.5; 295/75-22.5; 275/80-22.5; 295/80-22.5; 1100-22
13029	22.5	315/80-22.5; 315/70-22.5; 13-22.5; 15-22.5; 16.5-22.5
13030	22.5	385/65-22.5
13032	24.5	11-24.5; 1100-24

CURING BLADDERS



Code	MGF	Size	H mm	B mm	A mm	C mm	D mm	L mm	Recommended Tires
13183	4776	C0	311	203	302	21	12,7	332	125-12; 135-12
13184	6299	C1	330	217	325	22	13	359	135-13; 145-13
13185	6228	C2	330	217	370	22	13	411	155-13; 165-13
13186	6297	C3	464	248	404	21	13	492	LIGHT VAN (16/17.5)
13186-2	-	C3 LARGE	520	248	404	21	13	542	LIGHT TRUCK/4x4
13187	6390	C4	410	248	400	21	13	447	LIGHT VAN (14"; 15"; 16"; 17")
13188	6319	C5	460	270	435	21	13	526	LIGHT VAN (14"; 15"; 16"; 17")
13189	6320	C6	550	270	435	21	13	610	LIGHT VAN (14"; 15"; 16"; 17")
13190	8376	C83	530	375	590	26	12,5	615	TRUCK 20"; 22"; 22.5" MEDIUM
13191	2895	C28	615	375	600	26	12,5	706	TRUCK 20"; 22.5" LARGE
13197	H20/6	C20/6	545	375	822	26	13	720	TRUCK 24"
13192	7646	C 76	455	445	663	32	16	545	TRUCK 22.5" LARGE
13198	RP-12/1	M0	227	207	420	23	11	328	10" - 12"
13199	RP-13/3	M1	300	225	410	23	11	391	135-13; 145-13
13200	RP-13/4	M2	320	225	410	23	11	412	155-13; 165-13
13201	RP-13/5	M3	345	225	450	23	12,5	450	175-14; 185-14
13203	RP-13/7	M4	395	225	450	23	12,5	497	LIGHT VAN 195-14; 205-15
13204	RP-13/9	M5	490	225	467	23	11	551	LIGHT VAN
13205	RP-20/3	M20/35	480	345	665	28	15,5	605	TRUCK 20"; 22.5" MEDIUM
13206	RP-20/5	M20/5	550	345	665	28	15,5	683	TRUCK 20"; 22.5" LARGE



Code	Tools	Size
12526	Punteruolo conico / Conical awl / Poinçon conique	8x110mm
12527	Punteruolo punta quadra / Square-headed tip awl	8x110mm
12528	Punteruolo punta fine / Fine pointed awl / Poinçon point fin	6x90 mm
12529	Punteruolo ad uncino / Hooked awl / Poinçon à crochet	6x105 mm
12530	Forbice per gomma / Shears for rubber / Ciseaux pour caoutchouc	8" 220 mm
12531	Forbice per gomma / Shears for rubber / Ciseaux pour caoutchouc	10" 290mm
12557	Forbice per gomma / Shears for rubber / Ciseaux pour caoutchouc	12" 305mm
12560	Coltello di ottone per pulizia estrusore / Brass knife for extruder cleaning	300x10x 6 mm
12520	Coltello / Knife / Couteau	12.5" - 320 mm
12521	Coltello / knife / Couteau	4 $\frac{7}{8}$ " 120 mm
12522	Coltello / knife / Couteau	4" 100 mm
12523	Coltello a lama curva / Curved blade knife / Couteau à lame courbe	3 $\frac{3}{8}$ " 90 mm
12507	Coltello / knife / Couteau	4" 100 mm
12508	Coltello / knife / Couteau	6" 150 mm
12509	Coltello / knife / Couteau	8" 220 mm
12512	Coltello / Knife / Couteau	9" 230 mm
12510	Scimitarra / Scimitar / Cimenterre	8" 220 mm
12511	Scimitarra / Scimitar / Cimenterre	10" 250 mm
12513	Trincetto / Shoemaker knife	5" 130 mm
12515	Pietra affilalame / Sharpening stone / Pierre aiguiseur	-
10337	Affila coltelli con manico in legno / Hand resharpening stone	150x25x25 mm



12526



12527



12528



12529



12521



12522



12523



12509



12508



12507



12510



12520



12513



12515



12530



12560




10337

NATIONAL BELTS



Code	Diameter	Width
13621-1	13"-16"	6-3/8" -162 mm
13621-2	13"-16"	7-1/2" -190 mm
13620-1	14"-17"	150 mm
13620-2	14"-17"	6-1/2" 165 mm
13624-1	14"-17"	7-1/8" - 180 mm
13622-1	14"-17"	7 1/8" - 185 mm
13624-2	14"-17"	7-3/8" - 187 mm
13625-1	14"-17"	7 1/2" - 190 mm
13627-1	14"-17"	9 1/4" - 235 mm
13629-1	14"-17"	10" - 254 mm
13652-1	17"-20"	6 1/2" - 165 mm
13655-1	17"-20"	6 3/4" - 170 mm
13651-1	17"-20"	7 5/8" - 193 mm
13656-1	17"-20"	8 1/4" - 210 mm
13659-1	17"-20"	9" - 230 mm
13653-1	17"-20"	9 3/4" - 250 mm
13659-2	17"-20"	10" - 254 mm
13654-1	17"-20"	11 3/4" - 300 mm
13657-1	17"-20"	13-1/4" - 337 mm
13657-2	17"-20"	14" - 356 mm
13660-2	20"-22.5"	7 1/8" - 181 mm
13660-1	20"-22.5"	7 1/2" - 190 mm
13661-1	20"-22.5"	8 1/4" - 210 mm
13661-2	20"-22.5"	8-3/4" - 222 mm
13662-1	20"-22.5"	9" - 230 mm
13663-1	20"-22.5"	11 3/4" - 300 mm
13665-1	20"-22.5"	12 1/4" - 311 mm
13665-2	20"-22.5"	14-1/2" - 368 mm
13666-1	22"-24.5"	8.25" - 210 mm
13667-1	22"-24.5"	9" - 230 mm
13670-1	22"-24.5"	13 3/8" - 340 mm
13669-1	22"-24.5"	14.5" - 368 mm
13669-2	22"-24.5"	15" - 380 mm



Code	Model
13611-1	Tubo aria completo per gruppo mandrino / Air hose for complete hub
13611	Raccordo aria maschio per mandrino National / Male Air Fitting for National Rim
13610	Raccordo aria femmina per mandrino National / Female Air Fitting for National Rim
13611-2	Raccordo ad angolo 90° 1/4" - 1/4" / 90° Elbow Fitting 1/4" - 1/4"

NATIONAL EXPANDING RIMS

Code	Diameter	Width
13619-1	13"-16"	5" - 130 mm
13620	13"-16"	165 mm
13620-3	14"-17"	6" - 150 mm
13622	14"-17"	180 mm
13623	14"-17"	170 mm
13624	14"-17"	180 mm
13625	14"-17"	7-1/2" - 190 mm
13626	14"-17"	210 mm
13627	14"-17"	9 1/4" - 235 mm
13627-5	14"-17"	9" - 230 mm
13650	17"-20"	7-1/2" - 190 mm
13652	17"-20"	6 1/2" - 165 mm
13653	17"-20"	9 3/4" - 250 mm
13654	17"-20"	11 3/4" - 300 mm
13655	17"-20"	6 3/4" - 170 mm
13655-2	17"-20"	13-1/4" - 337 mm
13656	17"-20"	8 1/4" - 210 mm
13657	17"-20"	13 1/2" - 340 mm
13657-6	17"-20"	370 mm
13658	17"-20"	7-5/8" - 195 mm
13659	17"-20"	9" - 230 mm
13660	20"-22.5"	7 1/2" - 190 mm
13661	20"-22.5"	8 1/4" - 210 mm
13662	20"-22.5"	9" - 230 mm
13663	20"-22.5"	11 3/4" - 300 mm
13664	20"-22.5"	305 mm
13665	20"-22.5"	325 mm
13665-0	20"-22.5"	337 mm
13666	22"-24.5"	8.25" - 210 mm
13667	22"-24.5"	9" - 230 mm
13668-1	22"-24.5"	11 3/4" - 300 mm
13669	22"-24.5"	14.5" - 368 mm



EXPANDING RIMS SCHEMATIC



Code	Model
13593	Valvola / Valve ME 016
13594	Attacco tubo flessibile / Flexible hose connection ME 017
13595	Tubo di raccordo / Hose connection ME 018
11047	Chiave a compasso / Compass wrench
23576	Piastra interna per mandrini misura / Inner plate for rim size



13573



13572




13574



13576



Code	Accessories for Hubs
13572	Aletta senza serraggio 8 pezzi / Stems no lock 8 pcs / Ailettes sans serrage 8 pcs
13573	Aletta con serraggio 4 pezzi / Locking stems 4 pcs / Ailettes avec serrage 4 pcs
13576	Aletta in bronzo 12 pezzi / Brass stems 12 pcs / Ailettes en bronze 12 pcs
13574	Molla di tenuta / Spring / Ressort de fixation
13575	Kit guarnizioni per mandrino National / Gasket set for National chuck



13571

Pos.	Qty.	Item	Description
1	1	13579	Albero mandrino - Shaft
2	1	13580	Bicchiere mandrino - Rear housing
3	1	13582	Pistone mandrino - Cone
4	1	13583	Coperchio bicchiere - Front housing
5	1	13585	Alberino mandrino - Inner shaft
6	1	13584	Boccola di mandata - Back air bushing
7	1	13584-1	Bronzina interna boccola di mandata - Rotary joint
8	2	13586-2	O-ring 2
9	1	13586-1	O-ring 1
10	1	13613	Bronzina interna boccola di mandata - Inner rotary joint
11	6	13604	Bulloni - Bolts AS 2465 5/16 x 1 ½" UNC
12	6	13604-1	Rondelle - Washers UNI 8839 - A8
13	1	13602	O-ring
14	1	13603	Listella in feltro - Felt listel 5x6 l=260 mm
15	1	13614-1	O-ring
16	1	13616	Bronzina pistone mandrino - Cone bushing
17	1	13614	Anello di tenuta - o-ring
18	8	13572	Alette senza serraggio - Stems no lock
19	4	13573	Aletta con serraggio - locking stem
20	2	13574	Molla tenuta - Spring
21	12	13605-1	Rondelle - Washers UNI 8839 - A8
22	12	13605	Bulloni - Bolts AS 2465 - 5/16 x 5 ½" UNC
23	1	13598	Tappo conico - Conical cap DIN 906 1/4"
24	1	13612	Anello seeger - Seeger ring E17
25	1	13615	Bronzina albero mandrino - Shaft bushing
26	1	13599	O-ring
27	1	13601	O-ring



12639

Code	Model	Color
12634	M 667	Bianco / White
12635	M 667	Giallo / Yellow
12636	M 667	Verde / Green
12637	M 667	Rosso / Red
12638	Sistema di marcatura Stripe-it completo di rotella da 1,3 mm / Stripe-it marking system, complete with 1,3 mm wheel	-
12639	Rotella di rigatura sp 1,3 mm / Striping head thk 1,3 mm	-
12640	Tappo di chiusura + flangia ad innesto per ugello / Spare parts for nozzle	-



12621



12660



12618

Code	Model
12618	Guanti da lavoro art G104 / Work gloves
12619	Cuffia antirumore/ Ear-muffs
12620	Occhiali in policarbonato / Polycarbonate safety goggles
12620-1	Visiera protettiva in policarbonato / Polycarbonate protecting visor
12621	Guanti per alte temperature 200 °C/ High temperature gloves 200 °C
12660	Guanti con dorso in crosta / Gloves with reinforced palms
12661	Inseri auricolari con archetto / Ear plugs



12619



12661



12620



12620-1

Code	Model	Power	Heating positions
12440	Standard	370W	4
12441	Truckstar	500W	5
12442	Truck Plus	500W	Digital
12406	OTR	1000W	5



12440



12441



12406

12442



Mod. R	Code	Shape	Width	Depth	Box
	12409	R1	mm 3 - 4	7	20 pcs
	12410	R2	mm 5 - 6	8	20 pcs
	12411	R3	mm 6 - 8	10	20 pcs
	12412	R4	mm 9 - 10	14	20 pcs
	12413	R5	mm 10 - 14	16	20 pcs
Mod. W (C)	Code	Shape	Width	Depth	Box
	12414	W1	mm 3 - 4	7	20 pcs
	12415	W2	mm 5 - 6	8	20 pcs
	12416	W3	mm 6 - 8	10	20 pcs
	12417	W4	mm 9 - 10	14	20 pcs
	12418	W5	mm 10 - 14	16	20 pcs
	12420	W6	mm 20 - 28	16	10 pcs




Porta pneumatici autocarro / Truck tires holder



Code	12408
Misure base / Platform size	610 x 620 mm
Altezza / Height	120 mm
Peso / Weight	46 kg

- For TRUCK tire sizes from 8.25 to 12.00×24 and for AGRI tire sizes from 9.5-32 to 12.4-38
- Available the sidewall system (SRS) and the bead repair system (BRS)
- Suggested for fixed positions, the TRM system covers all the truck and agri sizes up to small OTR tires

Code	MFG	Model
14744	TRRS D	Pannello di controllo / Control panel
14701	TRR2213H (220V)	Resistenza interna (tessili) / Inner heat pad (Bias)
14700	TRR2210H (220V)	Resistenza interna (radiali) / Inner heat pad (Radial)
14727	TR911/13W	Cylinder air bag (cuscino)
14728	TR1315/15W	Cylinder air bag (super single)
14701	TRR2213H (220V)	Resistenza esterna / Outside heat pad
14743	TRR2213E (4 Strap)	Cuscino piatto / Flat bag
14742	TROC4	Cinghie / Straps



TRDD Application Chart

TRACTOR/ SECTION WIDTH	TRUCK TYRE SECTION WIDTH	FLAT ROUND AIRBAG	INSIDE HEAT PAD		OUTSIDE HEAT PAD	OUTSIDE AIRBAG EXTERNAL PACK WITH FLAT BAG & STRAPS	
			BIAS	RADIAL			
9.5 TO 12.4 INCHES	8.25 TO 12.00"	TR911/13W FRB	TRR2213H	TRR2210H	TRR2213H	TRR2213E	TROC 4
260/70R TO 320/85R MM 315/80-22.5	235 TO 295 MM						
SUPER SINGLE/ WIDE BASE	365/80-22.5 TO 445/65-22.5	TR1315/15W FRB	TRR2213H	TRR2210H	TRR2213H	TRR2213E	TROC 4
THE TRDD SYSTEM CAN BE EXTENDED UPWARDS TO COVER OTR TYRES UP TO 21.00 SECTION WIDTH							
OTR	13.00 TO 17.5" TYRE EXTENSION	TR1315/20W	MR1616H/ MR2519H*	MR3015H	TRR2621H	TRR2621E	TROC5XL
	330 TO 445 MM						
	18.00 TO 21.00" TYRE EXTENSION	M1721/24W	MR1616H/ MR2519H*	MR3015H	TRR2621H	TRR2621E	TROC5XL
	455 TO 530 MM						

SISTEMA DI RIPARAZIONE PNEUMATICI AGRICOLI AGRI TIRE REPAIR SYSTEM

- Per cerchi agricoli da 16" a 42" e da 250/85 a 1250/50
- Per fianchi, spalla e battistrada
- Pannelli di controllo suggeriti M100 e TRSS D
- For 16" to 42" rim agricultural tires and from 250/85 to 1250/50
- For sidewall, shoulder and crown
- Suggested control panel M100 and TRSS D

Code	Model
14725	Set di 22 borse di riempimento / Set of 22 lug filler
14725-1	OTR-XL (2 per set) con linguetta 355 x 77 mm / OTR-XL (2 per set) with tabs 14" x 3"
14725-2	OTR-L (4 per set) con linguetta 254 x 77 mm / OTR-L (4 per set) with tabs 10" x 3"
14725-3	OTR-M (4 per set) con linguetta 204 x 101 mm / OTR-M (4 per set) with tabs 8" x 4"
14725-4	OTR-S (4 per set) con linguetta 128 x 77 mm / OTR-S (4 per set) with tabs 5" x 3"
14725-5	OTR-XS (4 per set) con linguetta 152 x 51 mm / OTR-XS (4 per set) with tabs 6" x 2"
14725-6	OTR-XXS (4 per set) con linguetta 203 x 38 mm / OTR-XXS (4 per set) with tabs 203" x 38"




Agri Application Chart - Airbags

AGRICULTURAL TYRE SECTION WIDTH (16" TO 42" RIM)		CONTROL PANEL	CYLINDER AIRBAG	INSIDE FLAT AIRBAG	INSIDE HEAT PAD	OUTSIDE HEAT PAD	EXTERNAL CURING PACK & STRAPS	MAXIMUM PATCH SIZE
(INCHES)	(MM)							
9.5 TO 12.4	250/85 TO 320/85	TRRS D	TR911/13W	N/A	TR2213H	TR2213H	TR2213E WITH TROC4 STRAPS	LENGTH: 20" WIDTH: 11"
13 TO 14	320/90 TO 380/70	TRRS D	TR1315/15W	N/A	TR2213H	TR2213H	TR2213E WITH TROC4 STRAPS	LENGTH: 20" WIDTH: 11"
ALSO COVERS:	420/65							
14.9 TO 16	380/80 TO 420/70	TRRS D	TR1315/20W	N/A	TR2213H	TR2213H	TR2213E WITH TROC4 STRAPS	LENGTH: 20" WIDTH: 11"
ALSO COVERS:	440/65							
16.9 TO 18.4	420/85 TO 500/80	TRRS D	M1518/24W	N/A	TR2213H	TR2213H	TR2213E WITH TROC4 STRAPS	LENGTH: 20" WIDTH: 11"
20.8 TO 23	500/85 TO 600/65	TRRS D	M1721/24W	N/A	TR2213H	TR2213H	TR2213E WITH TROC4 STRAPS	LENGTH: 20" WIDTH: 11"
ALSO COVERS:	620/55 650/60							
23.1 TO 29.5	600/70 TO 750/65	MC	M1721/24W	M4824W	TR2621H	TR2621H	TR2621E WITH TROC5XL STRAPS	LENGTH: 24" WIDTH: 19"
31.5 TO 31.5	800/65 TO 800/70	MC	M2124/24W	M4824W	TR2621H	TR2621H	TR2621E WITH TROC5XL STRAPS	LENGTH: 24" WIDTH: 19"
33.5 TO 49	850/85 TO 1250/50	MC	M2732/24W	M4824W	TR2621H	TR2621H	TR2621E WITH TROC5XL STRAPS	LENGTH: 24" WIDTH: 19"

SISTEMA OTR / OTR SYSTEM



- Per pneumatici OTR da 13.00 a 70/70-63
- Per pneumatici radiali e convenzionali (agricoli)
- Per fianchi, spalle e battistrada
- Pannello di controllo consigliato M100 (R-type)
- For OTR tire sizes from 13.00 to 70/70-63
- For radial and bias tires
- For sidewall, shoulder and crown
- Suggested control panel M100 (R-type)



Sistema per fianchi /
Sidewall system OTRS (14.00-24 to 29.5-29)
MOTRS (27.00R49 to 45/65R45)

Sistema per talloni / Bead repair system MBRS
(mid-range 18.00R25 to 45/65R45)



Sistema per talloni /
Bead repair system XLBRS (giant OTR 40.00 R57 and 59/85R63)

SISTEMA OTR E RICAMBI

OTR SYSTEM AND REPLACEMENT PARTS




14693

RESISTENZE / HEAT PADS



14702

COPERTURE AIRBAGS / AIRBAG COVERS



14719

OTR Application Chart

WIDE BASE	TYRE SECTION (INCHES)	SECTION AIRBAG	INSIDE FLAT AIRBAG	INSIDE HEAT PAD		OUTSIDE HEAT PAD	EXTERNAL PACK WITH FLAT AIRBAG & STRAPS
				BIAS	RADIAL		
14.4-24 TO 16.9-38	13.00 TO 17.5	TR1315/20W FRB		MZ2519H	MZ3015H	TRZ2621H	TR2621E WITH TROC5XL STRAPS
18.4-34 TO 20.8-42	18.00 TO 21.00	M1721/24W FRB		MZ2519H OR MZ2626H	MZ3015H	TRZ2621H	TR2621E WITH TROC5XL STRAPS
23.1-26 TO 30.5-32	23.5 TO 26.5	M1721/24W FRB	M4824W	MZ2519H OR MZ2626H	MZ3015H	TRZ2621H	TR2621E WITH TROC5XL STRAPS
25/65-25	27.00 TO 29.5	M1721/24W FRB	M4824W M5432W*	MZ2519H OR MZ2626H	MZ3015H OR MZ4220H	TRZ2621H	TR2621E WITH TROC5XL STRAPS
35/65-33 TO 45/65-45	30.00 TO 37.5	M2732/32W	M5432W	MZ3132H OR MZ2626H	MZ4220H OR MZ4224H	MZ2626H OR MZ3132H	M4832E WITH M45/6/7 (IHG) 6 STRAPS
49.5/85-57 TO 50/65-51	40.00	M3842/32W		MZ3132H OR MZ2626H	MZ4220H OR MZ4224H OR MZ4824H OR MZ5224H	MZ2626H OR MZ3132H	M4832E WITH M45/6/7 (IHG) 6 STRAPS
46/90-57		M3842/32W	M5432W*				
50/80-57 TO 55/80-57		M4447/32W		MZ3132H OR MZ2626H	MZ4220H OR MZ4224H OR MZ4824H OR MZ5224H	MZ2626H OR MZ3132H	M4832E WITH M45/6/7 (IHG) 6 STRAPS
53/80R63 53.5/85-57 53.5/85-63 55.5/80-57 55.5/85-57 55.5/85-63		M4447/32W	M7532W OR M9032W	MZ3132H OR MZ2626H	MZ4220H OR MZ4224H OR MZ4824H OR MZ5224H	MZ2626H OR MZ3132H	M4832E WITH M45/6/7 (IHG) 6 STRAPS
59/80-63 60/80-57 70/70-57		M5054/32W	M9032W	MZ3132H OR MZ2626H	MZ4220H OR MZ4224H OR MZ4824H OR MZ5224H	MZ2626H OR MZ3132H	M4832E WITH M45/6/7 (IHG) 6 STRAPS

*When repairing 27.00" to 29.5" section widths in Bias tyres, it may be necessary to use a M5432W to fully cover the patch.
For certain brands of 46/90-57 tyres, it may be necessary to also use an M5432W inside Flat Airbag to fully fill the section void.



AG Series Heat Pads

TYRE SIZE	HEAT PAD	DIMENSIONS
540/65R30	AG1H 24710	360X105mm
520/70R38		
600/65R38		
520/85R42		
650/85R38	AG2H 24711	500X130mm
710/70R38		
710/70R42		
800/65R32	AG3H 24712	600x160mm
800/70R38		
850/75R42		

Le resistenze AG sono disponibili in modello X o Classico (H) e sono abbinate a seconda del pannello di controllo. Vi consigliamo comunque di contattarci per ulteriori informazioni.

The AG series of Heat Pads is available in X or Classic style. Please choose according to your existing control panel or get in touch for further information.





11703



11704



11706



11709



11713



11712



11708



11722



11717





12645

Code	Model
11703	Misuratore di profondità per battistrada base 70 mm profondità 50mm / Tread depth gauge, 70 mm base 50mm depth Calibre pour chape de pneu avec 70 mm de base profondeur 50 mm
11704	Misuratore profondità per battistrada 0-80 mm, base 150 mm / Tread depth gauge 0-80 mm, base 150 mm / Calibrepour chape de pneu profondeur 0-80 mm, 150 mm base
11709	Misuratore di profondità a quadrante per battistrada / Tread depth dial gauge Calibre avec cadran pour chape de pneu
11706	Misuratore profondità battistrada base 200 mm / Tread depth gauge, 200 mm base
11708	Nastro in fibra di vetro 10 m / 10 m fiber glass tape / Ruban fibre de verre 10 mètres
11712	Duometro 0-100 shore A / Durometer 0-100 shore A / Duromètre 0-100 shore A
11713	Duometro digitale 0-100 shore A / Digital durometer 0-100 shore A / Duromètre numérique 0-100 shore A
11717	Misuratore di temperatura digitale portatile -50°C ÷ 250°C -50°C ÷ 750°C / Digital and portable thermometer -50°C ÷ 250°C -50°C ÷ 750°C
11722	Nastro in acciaio 10 m Lufkin / 10 m Lufkin steel tape
12645	Raschiatore per numeri di serie / Serial number remover / Raclette pour numéros de série
12646	Lama ricambio per raschiatore per numeri di serie / spare blade for serial number remover / Lame de rechange pour raclette



Code	Load Capacity	Height	Sizes	Rolls lenght	Rolls distance	Weight
14767	1000 Kg	2080 mm	1450 x 920 mm	705 mm	260 mm	312 kg





14660



14660-4



14660-2



14660-3

Code	Model
13726	Aspirapolvere-liquidi per uso industriale 30 litri / Dust and liquid vacuum for industrial use 30 lt
13727	Aspiratore per pneumatici / Tire vacuum / Aspirateur pour pneus/ Aspirador para neumáticos
14660	Pistola di gonfiaggio Eurodainu Wonder / Inflating gun Eurodainu Wonder / Contrôleurs de pression Eurodainu Wonder / Manometro Eurodainu Wonder
14660-2	Manometro controllo pressione 0-170 psi 0-12 bar vettura / Tire check dial gauge 0-170 psi 0-12 bar
14660-3	Connettore per pneumatici MT 12V1 / Twin hold-on connectors MT 12V1
14660-4	Manometro controllo pressione 0-170 psi 0-12 bar / Tire inflator 0-170 psi 0-12 bar - CE approved




13727



13726

Code	Model	Size	Weight
14608	Medium yellow	190H x 380L x 160W	1,07 KG
14609	Big yellow	230H x 470L x 200W	1,45 KG



14609



14608



12658
90mm / 360mm (Max)
(3 1/2" - 14")



12659
13mm / 340mm (Max)
(1/2" - 13 1/2")



14437



14416

Code	Model
12659	Divaricatore manuale / Manual tire spreader / Ouvre-pneus / Abridor 13-340 mm
12658	Divaricatore / Tire spreader / Ouvre-pneus / Abridor 90-360 mm
14416	Premi talloni / Rim clamp / Pince pour jantes / Cuñas presiona talones
14704	Premi talloni per cerchi in lega / Rim clamp for alloy rims
14437	Premi talloni con protezioni / Rim clamp with protective covers
24801	Ritallonatore VMR in alluminio 9L / VMR Tire inflator 9L
24802	Ritallonatore VMR in alluminio 12L / VMR Tire inflator 12L



14704



24801
(9L)



24802
(12L)

Code	Model
14337	Anelli in gomma o-ring 14-16.5" / Tire bead seaters o-ring 14-16.5"
14338	Anelli in gomma o-ring 16.5-17.5" / Tire bead seaters o-ring 16.5-17.5"
14340	Anelli in gomma o-ring 22.5"-24.5" / Tire bead seaters o-ring 22.5"-24.5"



14327

Code	Model
14312	Anello di gonfiaggio 16" / Pump Ring 16"
14313	Ricambio in gomma 16" / Rubber Ring 16"
14314	Anello di gonfiaggio 17-17.5" / Pump Ring 17-17.5"
14315	Ricambio in gomma 17-17.5" / Rubber Ring 17-17.5"
14316	Anello di gonfiaggio 18" vettura / Pump Ring 18" car
14317	Ricambio in gomma 18" / Rubber Ring 18"
14319	Anello di gonfiaggio 16-16.5" / Pump Ring 16-16.5"
14320	Ricambio in gomma 16-16.5" / Rubber Ring 16-16.5"
14323	Anello di gonfiaggio 19-19.5" / Pump Ring 19-19.5"
14324	Ricambio in gomma 19-19.5" / Rubber Ring 19-19.5"
14327	Anello di gonfiaggio 22.5" / Pump Ring 22.5"
14328	Ricambio in gomma 22.5" / Rubber Ring 22.5"

Altre misure disponibili su richiesta / Other sizes available on request

Checkpoint®
THE ORIGINAL AND THE BEST

Indicatori di serraggio / Loose nut indicators



DUSTITE



DUSTITE LR



CHECKPOINT



CHECKLOCK



CHECKLINK



Disponibili in diversi colori e misure / Available in different sizes and colors





Code	Model	Max.Load	Tire quantity	Weight
14760	Carrello per trasporto pneumatici / VMR tire car	90Kg	8	19Kg



Code	Model	Max.Load	Weight
14755	Carrello monta e smonta gomme / Truck wheel dolly	100Kg	10Kg

Stallonatore manuale VMR / VMR O-ring installer




Peso / Weight	16,75 kg
Materiale / Material	Alluminio / aluminium
Corsa / Stroke	610 - 1.114 mm
Cerchi / Rim sizes	25" - 38"




Code	Model
13897-1	O-Ring Haltec 24" Ø 6.60 mm / Ø 0.26" (OR-224-TG)
13898	O-Ring Haltec 25" Ø 6.60 mm / Ø 0.26" (OR-25-T)
13898-1	O-Ring Haltec 25" Ø 6.60 mm / Ø 0.26" (OR-225-T GRADER)
13899	O-Ring Haltec 25" Ø 9.52 mm / Ø 0.375" (OR-325-T)
13900	O-Ring Haltec 29" Ø 9.52 mm / Ø 0.375" (OR-329-T)
13901	O-Ring Haltec 33" Ø 9.52 mm / Ø 0.375" (OR-333-T)
13902	O-Ring Haltec 35" Ø 9.52 mm / Ø 0.375" (OR-335-T)
13903	O-Ring Haltec 39" Ø 9.52 mm / Ø 0.375" (OR-339-T)
13904	O-Ring Haltec 45" Ø 9.52 mm / Ø 0.375" (OR-345-T)
13905	O-Ring Haltec 49" Ø 9.52 mm / Ø 0.375" (OR-349-T)
13906	O-Ring Haltec 51" Ø 12.7 mm / Ø 0.50" (OR-451-T)
13907	O-Ring Haltec 57" Ø 12.7 mm / Ø 0.50" (OR-457-T)


Spingi bancate 3-in-1 per pneumatici MT / 3-in-1 OTR Rim Splitter



Special CLAMP
For CATERPILLAR 980H
25" and 29" rims



THRUST BUSHING
For TRAVEL LIFT MBH
33" and 35" rims



Weight	22,5 kg
Material	Alluminio / aluminium
Stroke	590 - 1250 mm
Rim sizes	from 25" to 38"



Stallonatore OTR - cerchio 5 pezzi / OTR 5 piece Bead Breaker



14068

Peso / Weight	8 KG
Materiale / Material	Alluminio / aluminium
Potenza / Bead Breaking Force	20.000 kg
Corsa / Stroke	110 mm
Cerchi / Rim sizes	25" - 51"



Code	Model
13879	Unghia per 14068 / Claw for 14068 30x8x78x43 mm (1-A)
13880	Unghia per 14068 / Claw for 14068 29x10x78x43 mm (2-B)
13881	Unghia per 14068 / Claw for 14068 36x10x100x50 mm (3-C)
13882	Unghia per 14068 / Claw for 14068 30x9x85x37 mm (4-D)



13879



13880



13881



13882

Stallonatore Magnetico MT / Magnetic OTR Bead Breaker




17700

Peso / Weight	6,45 KG
Materiale / Material	Alluminio / aluminium
Potenza / Bead Breaking Force	19.700 kg
Corsa / Stroke	50 mm
Cerchi / Rim sizes	Up to 51"

Stallonatore VMR autocarro/ MT/Agri / VMR Truck OTR/ AG Bead Breaker


13874



Peso / Weight	8,5 Kg
Materiale / Material	Alluminio / aluminium
Potenza / Bead Breaking Force	4.000 kg
Corsa / Stroke	90 mm
Cerchi / Rim sizes	from 24" - 29"

Stallonatore VMR OTR / VMR OTR Bead Breaker

13878



Peso / Weight	16 Kg
Materiale / Material	Alluminio / aluminium
Potenza / Bead Breaking Force	9.000 kg
Corsa / Stroke	90 mm
Cerchi / Rim sizes	from 25" - 49"



13876

Stallonatore agricolo / AG Bead Breaker



13884



Peso / Weight	5,5 KG
Pneumatici / Tires	Agricultural, ATV, small OTR and most truck tires
PSI / BAR	Minimum 85 psi / 6 bar



19001
50/30t



19002
75/50/25t



19003
75/50/25t



19004
60/40/22/11t



19000
40/20t



19007
50/25t

Battery-operated



19006
50/30/15t



5000mAh
DC 36V
(18V+18V)



13886
(1,4l.)



13887 - 2000 mm
13887-1 - 3000 mm



13888
(5l.)



13889



13890 - 3/8" NPT
13892 - 1/4" NPT



13891 - 3/8" NPT




17900




17901



Code	Model
13886	Centralina idraulica hp 700 bar - 1,4 l / Pompe hydraulique hp 700 bar - 1,4 l / Air hydraulic pump hp 700 bar - 1,4 l - 1,4 l / Bomba Hidraulica hp 700 bar - 1,4 l
13887	Tubo flessibile per centralina idraulica l= 2000 mm / Tube flexible l= 2000 mm / Flexible hose l=2000 mm / Latiguillo l= 2000 mm
13887-1	Tubo flessibile per centralina idraulica l= 3000 mm / Tube flexible l= 3000 mm / Flexible hose l=3000 mm / Latiguillo l= 3000 mm
13888	Centralina idraulica hp 700 bar - 5 l / Pompe hydraulique hp 700 bar - 5 l / Air hydraulic pump hp 700 bar - 5 l - 1,4 l / Bomba Hidraulica hp 700 bar - 5 l
13889	Pompa idraulica manuale 700 bar / Pompe manuelle 700 bar / Manual hydraulic pump 700 bar / Bomba manual 700 bar
13890	Innesto femmina 3/8" / Raccord femelle 3/8" / Female quick coupler 3/8" / Enchufe hembra 3/8"
13891	Innesto maschio 3/8" / Mâle raccord 3/8" / Male quick coupler 3/8" / Enchufe macho 3/8"
13892	Innesto femmina 1/4" / Raccord femelle 1/4" / Female quick coupler 1/4" / Enchufe hembra 1/4"
17900	Spessore antiscivolo 3 - 4 cm / Bead wedges 3 - 4 cm
17901	Spessore antiscivolo 1 - 4 cm / Bead wedges 1 - 4 cm



Code	Model		
14610	Adatto per / Suitable for: RAVAGLIOLI/SIRIO/SPACE D = 100 mm S = 22 mm d = 85 mm L = 81 mm s = 8,5 mm		
14611	Adatto per / Suitable for: RAVAGLIOLI/WERTHER D = 123 mm S = 26 mm d = 108 mm L = 104 mm s = 10 mm		
14612	Adatto per / Suitable for: RAVAGLIOLI/WERTHER D = 123 mm S = 26 mm d = 108 mm L = 104 mm s = 10 mm		
14613	Adatto per / Suitable for: RAVAGLIOLI/SIRIO/SPACE D = 130 mm S = 23 mm d = 125 mm L = 121 mm s = 10 mm		
14614	Adatto per / Suitable for: OMNC D = 145 mm Hole Ø = 12 mm s = 25 mm		
14615	Adatto per / Suitable for: RAVAGLIOLI D = 150 mm S = 25 mm d = 135 mm L = 128 mm s = 10 mm		
14616	Adatto per / Suitable for: RAVAGLIOLI D = 120 mm d = 110 mm S = 27 mm		
14617	Adatto per / Suitable for: OMNC D = 140 mm d = 133 mm Hole Ø = 12 mm S = 27 mm		
14618	Adatto per / Suitable for: RAVAGLIOLI D = 145 mm d = 135 mm S = 26 mm		
14619	Adatto per / Suitable for: LAUNCH/TWIN BUSCH/RP TOOLS D = 120 mm d = 108 mm Hole Ø = 9 mm Hole DIST. = 70 mm S = 32 mm		



Code	Model		
14620	Adatto per / Suitable for: J.A.B.BECKER/ATH/HOFMANN/HERMANN D= 120 mm S = 19 mm d = 110 mm L = 103 mm Hole Ø= 9 mm s = 4 mm		
14621	Adatto per / Suitable for: J.A.B.BECKER/ATH/HOFMANN/HERMANN D= 120 mm S = 19 mm d = 110 mm L = 103 mm Hole Ø= 9 mm s = 4 mm		
14622	Adatto per / Suitable for: J.A.B.BECKER/ATH/HOFMANN/HERMANN D= 120 mm d = 110 mm Hole Ø= 6 mm S = 8 mm		
14623	Adatto per / Suitable for: MAHA D= 120 mm S = 22 mm d = 113 mm L = 102 mm Hole Ø = 9 mm Hole DIST. = 83 mm s = 8 mm		
14624	Adatto per / Suitable for: MAHA D= 120 mm S = 22 mm d = 113 mm L = 102 mm Hole Ø = 9 mm Hole DIST. = 83 mm s = 8 mm		
14625	Adatto per / Suitable for: NUSSBAUM /AMI D= 125 mm d = 120 mm Hole Ø = 8 mm Hole DIST. = 90 mm S = 24 mm		
14626	Adatto per / Suitable for: SLIFT/IME D= 125 mm S = 25 mm d = 120 mm L = 102 mm Hole Ø = 8 mm Hole DIST. = 90 mm s = 9 mm		
14627	Adatto per / Suitable for: KONI/ROMERICO CAR-O-LINER D= 160 mm S = 29 mm d = 153 mm L = 140 mm s = 10 mm		
14628	Adatto per / Suitable for: TWIN BUSH D= 120 mm S = 30 mm d = 105 mm L = 100 mm Hole Ø = 8 mm Hole DIST. = 66 mm s = 8.50 mm		

Code	Model	
14629	Adatto per / Suitable for: TWIN BUSH D= 140 mm S = 28 mm d = 125 mm L = 120 mm s = 8 mm	
14630	Adatto per / Suitable for: TWIN BUSH D= 140 mm S = 30 mm d = 125 mm L = 118 mm Hole Ø = 8 mm Hole DIST. = 50 mm s = 10 mm	
14631	Adatto per / Suitable for: PONTE CASCOS D = 138 mm S = 25 mm d = 130 mm L = 120 mm s = 9 mm	
14632	Adatto per / Suitable for: ISTOBAL/VELYEN D= 155 mm S = 24 mm d = 147 mm L = 140 mm s = 6 mm	
14633	Adatto per / Suitable for: ISTOBAL/VELYEN D= 145 mm S = 10 mm Hole Ø = 8 mm Hole DIST. = 60 mm	
14635	Adatto per / Suitable for BRADBURY / KONI / TECAMIT D= 108 mm S = 27 mm d=100 mm L = 90 mm s= 10 mm	
14636	Adatto per / Suitable for BRADBURY D = 148 mm S = 22 mm d =142 mm L = 132 mm s = 7 mm	



14661



14662



14663

Code	Model
14661	Tamponi in gomma per ponti sollevatori 160 x 120 h= 20 / Rubber pads for auto lift 160 x 120 h= 20
34604	Tamponi in gomma per ponti sollevatori 160 x 120 h= 30 / Rubber pads for auto lift 160 x 120 h= 30
14662	Tamponi in gomma per ponti sollevatori 160 x 120 h= 40 / Rubber pads for auto lift 160 x 120 h= 40
14663	Tamponi in gomma per ponti sollevatori 160 x 120 h= 60 / Rubber pads for auto lift 160 x 120 h= 60
14664	Tamponi in gomma per ponti sollevatori 160 x 120 h= 80 / Rubber pads for auto lift 160 x 120 h= 80
14665	Tamponi in gomma per ponti sollevatori 160 x 120 h= 100 / Rubber pads for auto lift 160 x 120 h= 100
34605	Tamponi in gomma per ponti sollevatori 160 x 120 h= 120 / Rubber pads for auto lift 160 x 120 h= 120

Code	Adatto per / Suitable for	Diameter Ø	Height
14604	Fiat 500E / 500X / Jeep Renegade	100 mm	55 mm
14605	Tesla 3/Y	76/24 mm	51/25 mm
14605-1	Tesla 3/Y	120 mm	20 mm
14606	Tesla 3/Y	140 mm	20 mm
14607	Tesla 3/Y	160 mm	20 mm






14605







14604



14606/14607

Code	Rubber pads for EV
14633-1	Adatto per VE con punto di sollevamento rotondo / Suitable for EV with round lifting point Ø 1 = 60 mm Ø 2 = 120 mm H = 60 mm  
14633-2	Adatto per VE con punto di sollevamento rettangolare / Suitable for EV with rectangular lifting point L = 140 mm W = 100 mm H = 60 mm A = 100 mm B = 60 mm  
14633-3	Adatto per grandi VE con punto di sollevamento rettangolare / Suitable for LARGE EV with rectangular lifting point L = 140 mm W = 100 mm H = 120 mm A = 100 mm B = 60 mm  

Code	Rubber pads for trolley jacks
34612	Adatto per / Suitable for: Universal D= 65 mm S= 41 mm v1= 12 mm v2= 12 mm v3= 12 mm  
34613	Adatto per / Suitable for: Universal D= 65 mm d= 38 mm S= 41 mm s1= 8 mm s2= 12 mm v1= 5 mm v2= 14 mm v3= 13 mm  
34614	Adatto per / Suitable for: BMW, MINI, OPEL D= 65 mm S= 40 mm p1= 55 mm p2= 30 mm p3= 13 mm  
34615	Adatto per / Suitable for: BMW, MINI, OPEL D= 65 mm d= 38 mm S= 40 mm s1= 8 mm s2= 12 mm p1= 55 mm p2= 30 mm p3= 13 mm  



15942



15941




15940




Code	Model	Power
15940	Chiave dinamometrica reversibile per vettura 1/2" / Reversible torque wrench 1/2"	Nm 50-350
15941	Chiave dinamometrica reversibile per autocarro 3/4" / Reversible torque wrench 3/4"	Nm 150-800
15942	Kit di bussole da 1/2" l = 17-19-21 mm / 3 Socket set 1/2" l = 17-19-21 mm	-



14666
Corgi / Sicam / Sice
Mondolfo ferro
Bosch / Giuliano



14670



14667
Sice / Werther
RP Tools / Cemb



14668

Ravaglioli / Butler
Sirio / Hunter
Space



14669

Ravaglioli / Butler
Sirio / Hunter
Space



Code	Model
14666	Tamponi in gomma per smontagomme Rubber pads for tire changers Appui en caoutchouc pour démonte pneus Tacos de goma para desmontadoras de neumáticos
14667	
14668	
14669	
14670	



14766



19053
l = 5 m



19026 - 24t
560x560 mm



19033



12671

Code	Model	Max. Loading	Weight
14766	Carrello sollevatore idraulico per pneumatici agricoli / Hydraulic lifting trolley for agricultural tires	1600 kg	161 kg
12671	Carrello a 3 vasche 960x600xh870 / Three trays trolley 960x600xh870 mm	200 kg	52 kg
19026	Cuscino di sollevamento 560x 560mm sp 25 mm / Lifting bag 560x 560mm THK 25 mm	24 t	9 kg
19053	Tubo per cuscino 1/4"-1/4" 5m / Hose for lifting bag 1/4"-1/4" 5m	-	-
19033	Manometro per cuscini sollevatori 1/4" 8 bar / Deadman controller 1 outlet 1/4" 8 bar	-	-

Per gomme fix e superelastic / For fix and superelastic tires



380V
3kW
50-60Hz



Code	Tons	Height	Max. size	Width	Bead to bead	Max stroke	Cylinder diameter	Weight
14550	100 T	2310 mm	900 mm	1930 mm	1010 mm	310 mm	110 mm	1050 kg


Accessories	Code - Size
Gabbia spinta e scalettamento / Thrusting ring cage	14503 - 8" / 14504 - 9" / 14505 - 10" / 14506 - 12" / 14507 - 15" / 14508 - 20" / 14509 - 24"
Coni di invito per cerchi Lemmerz e Fad / Lemmerz and Fad cones	14510 - 3.00-d8" / 14511 - 4.33-r8" / 14513 - 10" / 14516 - 15"
Coni di invito per cerchi Lemmerz / Lemmerz cones	14512 - 9" / 14514 - 5.00-s12" / 14515 - 8.00-g12"
Coni di invito per cerchi Fad / Fad cones	14520 - 5.00-s12" / 14521 - 8.00-g12"
Anelli premi zeppa cerchi Lemmerz e Fad / Lemmerz and Fad Press ring	14522 - 3.00-d8" / 14523 - 4.33-r8" / 14524 - 9" / 14525 - 10" / 14526 - 5.00-s12" / 14527 - 8.00-g12" / 14528 - 15"
O-ring per sfilamento ruote fix / O-ring for fix tires removal	14561 - 8" / 14562 - 9" / 14563 - 10" / 14564 - 12" / 14565 - 15"
Spessore / Support plate	14572 - 8" / 14573 - 9" / 14574 - 10" / 14575 - 12" / 14576 - 15"
Tubo di spinta / Bevel clasp ring	14579 - 8" - 9" - 10" 14580 - 12" - 15"
Piastre / Plate for bevel clasp ring	14581 - v10 Ø 210mm / 14582 - v11 Ø 260 mm / 14583 - v12 Ø 300 mm

La pressa è completa di tutti gli accessori, ad esclusione dei codici **14508** - **14509**
*The press comes complete with all the accessories, excluding item **14508** - **14509***





Code	Model
14404	Levacopertoni Fagus / Tire levers Fagus (impact bead breaker)
14407	Levacopertoni Moto 390 mm / Tire levers Moto 390 mm
14410	Levacopertoni Fiacre 460 mm / Tire levers Fiacre 460 mm
14411	Levacopertoni Fifre 420 mm / Tire levers Fifre 420 mm
14415	Leva smontagomme (TNT 200 M) / Tire mounting lever (TNT 200)
14415-1	Leva smontagomme / Tire mounting lever
14415-2	Kit leve smontagomme / Tire demounting kit
14418	Levacopertoni standard 300 mm / Tire lever standard 300 mm
14420	Levacopertoni standard 500 mm / Tire lever 500 mm
14429	Staccatalloni manuale T26A 300 mm (11-3/4") / Bead-breaking tool /driving iron T26A
14434-1	Coprileva lungo 390 x 30 mm – giallo / Tire lever boot long 390 x 30 mm - yellow
14435	Leva smonta cerchi 11-12" (1050 mm) / Rim lock ring removal tool 11-12" (1050 mm)
14438	Chiave a croce per pneumatici vettura 400 mm / Four way wheel nut wrench for passenger tires 400 mm
14439	Levacopertoni a squadra per autocarro - 500 mm / Truck tire lever with crank end - 500 mm
14440	Leva per pneumatici vettura tubeless 390 mm / Lever for tubeless passenger cars 390 mm
14441	Stacca talloni con protezione in plastica - 330 mm / Bead loosener with plastic proteccion - 330 mm



14415




14415-1

KIT
14415-2



Code	Model
14402	Levacopertoni Face 530 mm / Tire irons Face 530 mm
14403	Levacopertoni Belzer 670 mm / Tire irons Belzer 670 mm
14412	Levacopertoni Hyoca 920 mm / Tire irons Hyoca 920 mm
14413	Levacopertoni Hyude 990 mm / Tire irons Hyude 990 mm
14414	Levacopertoni Sayam 900 mm / Tire irons Sayam 900 mm
14419	Levacopertoni standard 400 mm / Tire irons standard 400 mm
14421	Levacopertoni standard 600 mm / Tire irons standard 600 mm
14422	Levacopertoni Halte 800 mm / Tire irons Halte 800 mm (made in Italy)
14422-1	Levacopertoni Halte 800 mm / Tire irons Halte 800 mm
14424	Levacopertone Trilex 1400 mm / Tire irons Trilex 1400 mm
14425	Levacopertoni standard 500 mm con copertura in plastica / Tire irons standard 500 mm (with boot)
14434	Coprileva lungo 390 x 30 mm / Tire irons boot long-black
14745	Protezione leva smonta cerchi in lega / Tire lever boot short
14406	Kit leve per gomme piene / Solid tire lock ring set





14686



14687



14688



14689



14690 - Truck



14691

Ø 36



10989

Ø 50



11464



11474

Ø 25

Code	Model
14686	Pasta di montaggio universale bianca 5 kg / White universal tire mounting paste 5 kg
14687	Pasta di montaggio universale gialla 4 kg / Yellow universal tire mounting paste 4 kg
14688	Pasta di montaggio universale blu 5 kg / Blue universal tire mounting paste 5 kg
14689	Pasta di montaggio universale nera 5 kg / Black universal tire mounting paste 5 kg
14690	Pasta di montaggio special VMR 4 kg / VMR special tire mounting paste 5 kg
14691	Lubrificante di montaggio pneumatici 3 litri / Sprint-lube mounting liquid
11464	Pennello Ø 50 / Brush Ø 50 TRUCK
10989	Pennello Ø 36 (595 0186) / Brush Ø 36
11474	Pennello Ø 25 / Brush Ø 25 CAR



Code	Model
14679	Pinze multiuso per contrappesi / PVC Wheel weight plier
14680	Spatola rimuovi contrappesi l=272 mm Adhesive balance weight remover size 272 mm
14685	Pinza per rimuovere pesi adesivi / Adhesive weight removing plier
14712	Pinza multiuso per contrappesi con protezione / Wheel weights plier with protection
14656	Mola in gomma rimuovi adesivi / Removing tape rubber wheel/ Meule pour enlever les adh�sif / Eliminador adhesivo
14657	Mola dentata in gomma rimuovi adesivi / Removing tape cogged rubber wheel/ Meule dent�e pour enlever les adh�sif / Eliminador adhesivo dentado
14658	Gambo per ruota in gomma � 6 / Adapter for rubber wheel � 6 / Tige pour meule � 6 / Adaptadore para eliminador adhesivo � 6
10542	Gambo esagonale per ruota in gomma 14656/14657 / Hexagonal adapter for rubber wheels / Tige hexagonal pour meule / Adaptadore hexagonal para eliminador adhesivo 14656/14657
14674	Utensile in plastica per montaggio / Smontaggio valvole Plastic tool to mount / Demount valves
14678	Utensile in acciaio per montaggio / Smontaggio valvole Steel tool to mount / Demount valves
14682	Proteggi talloni per smontagomme / Bead protection tool for Tire Changers
14703	Svita valvole standard / Standard valve core screw driver

Code	Model	OEM
14676	Salva cerchi in nylon / Nylon rim protector 	CORGHI (A2030, A2025LL, A2025, A224, A222, A2020, A2015, A2005) – MONDOLFO (AS 922, AS 924, AS 933, AS 934, AS 943, AS 944, AS 944 LL, AS 946, AS 963) – HUNTER (TCX575, TCX535, TCX515, TCX505, TCX57, TCX56) – BUTLER (Fits on CAPTURE.3 - CAPTURE.4, AIKIDO.3 – AIKIDO.4, A.CONCERT 4 - A.CONCERT 4 FI, A.CONCERT 3 - A.CONCERT 3 FI, KENDO.30S, KENDO.30 LIGHT – LIGHT FI, Dragster SL, Ergolock LL CB LL - AD LL, MEMOSpeed, Airdraulic ELX Combi ELX Classic ELX, ERGO-LOCK CB - AD - ST, HP643S SERIES, HP 641S SERIES, HP441S SERIES, HP 341 SERIES, PC 246, PC 240) – RAVAGLIOLI (G 1500.4 - 1500.3, G 1200.3 - G 1200.4, G1180.30 SLIM, G1160.30 SWIFT, G1150.30 MAGIC - 1150.30 MAGIC PLUS, G1075.ELIT - 1075.EL - 1055.ELIT - 1055.EL, G8945 MEMORY, G8645 - G8641, G1065.ELIT - 1065.EL - 1045.ELIT - 1045.EL, G1061.24 ELXIT-ELX 1041.24 ELXIT-ELX, G1001.24ELX -G1005.EL, G7645 SERIES, G7641 SERIES, G7441 - G6441 SERIES, G7240 - G7246, G7040 - 240 SERIES)
14705	Salva cerchi in poliuretano / PU rim protector 	CORGHI (A2030, A2025LL, A2025, A224, A222, A2020, A2015, A2005, A.Master Code, A.Master26, A.Master Jolly, A.Master Jolly Automa) – SICE (Acquila Tornado, Acquila Raptor, Acquila Audax M) – CORMACH (Puma, Ligo, Ligo GT, CM 1200 BB, CM 646 GT) – MONDOLFO (AS922, AS924, AS933, AS934, AS943, AS944, AS944 LL, AS946, AS963, Acquila Tornado, Acquila Raptor, Acquila Audax M)
14677	Torretta in plastica / Tire mount-demount tool 	CORGHI (all) – TECO (35 Light, 27 Special, 46 & 48) – CORMACH – CEMB (most models) – HOFMANN MEGAPLAN – ALL TOOL (all) – GIULIANO (all) – HOFMANN (early models except 1550, 1620, 1625) – COATS (RC1, RC5, RC10, RC15, RC20, Early 5060, 9010, 9024, APX80, APX90., some early models 5030 & 5060 with round stud) – M&B (TC522, TC525, TC528 IT, TC322, TC325, TC328 IT) – FEMAS (Vanguard, Vanguard-A, Twister, Easy Bike)
14681		Ricambio per torretta #14677 / #14677 Tire mount - demount tool spare
14677-1		Supporto per torretta #14677 Ø 38 mm / Holder for tire mount-demount tool #14677 ø38 mm
14683	Inserto triangolare in plastica per smontagomme / Triangular plastic insert for tire changers (10 pcs) 	CORGHI (ART 50, AM50, AM500, LL Models & more) – SICE – TECO (28 Top) – CORMACH – MONDOLFO (AS 944 LL) – CEMB (SM665/SM675) – GIULIANO – HUNTER (V1 & V2 Leverless Tool Head Plas)
14684	Inserto rettangolare in plastica per smontagomme / Rectangular plastic insert for tire changers (10 pcs) 	CORGHI (Artiglio Master AM50, AM500, A2024TT & More) – SICE – TECO (28 Top) – CORMACH – MONDOLFO (AS 944 LL) – CEMB (SM665/SM675) – GIULIANO – HUNTER (V1 & V2 Leverless Tool Head Plas)
14684-1	Inserto rettangolare in plastica per smontagomme / Rectangular plastic insert for tire changers (10 pcs) 	CORGHI – MONDOLFO – HUNTER (Leverless Mount head accessories for V3)

Code	Model	OEM
14708	Protezione in plastica per paletta stallonatore / Bead Breaker blade protection 	SNAP-ON (EEWH311B, EEW311C, EEW312A, EEW326A, EEW329A) – HOFMANN (3550, 3300, 3300EM, 1520, 1565, 1575, 1620, 1625EM) – JOHNBEAN (EPH SYSTEM I, II, III, IV, V, 8931, 8936, 8950, 8960, 8990, 8991)
14709	Protezione in plastica per paletta stallonatore / Bead Breaker blade protection 	BOSCH (TCE 4225, TCE 4230SFA, TCE 4335THP, TCE 4465THP, TCE 4465THPL. #1695102090 for T/C upto April 2010) – SICAM (Falco Models: AL518, AL520, AL520ASRS, AL520IT, AL520ITR, AL520ITASR, AL520RS, AI524, AL526, AL720, AL720IT, AL720ITR, AL720RS, NA526ASRS, NA526ITR, NA526ITASR, NA526RS, NA726ITR, NA726RS Grifone SL516, SL516IT, Colibri BL512IT, BL512ITAS) – ACCUTURN - TECA-LEMIT
14710	Cono di protezione Ø 40-125 mm / Cone cover Ø 40-125 mm 	CORGHI (AM50, AM500, Master 26, Master J) – SICE – CORMACH (Puma, CM1200 BB, Ligro, Ligro GT, F 536S GT Racing MI) – MONDOLFO (Acquila Tornado, Acquila, Raptor, Acquila Audax M) – TECO (100E, 100 Variant) – BOSCH (TCE 4540) – SICAM – BEISSBARTH – COATS (ProGuardPlus™ Leverless) – GIULIANO (Crossage Evo Plus, Xboss)
14711	Cono di protezione Ø 28-120 mm / Cone cover Ø 28-120 mm 	CORGHI (AM26 Artiglio Master, Artiglio Master)
24631	Inserto in plastica giallo / Yellow plastic inserts (5 pcs/set) 	BOSCH – SICAM – BEISSBARTH – M&B – (TC322, TC325, TC328, TC522, TC525, TC528) – WERTHER (1522, 1522S, 1522IT, 1528, 1528 PG, 1528 IT) - TECALEMIT
24632	Inserto in plastica nero / Black plastic inserts (5 pcs/set) 	SNAP-ON (All Models with Steel Mount/Demount Head 4029196) – HOFMANN (3550, 3300, 1625, 1620, 1575, 1520) – JOHN BEAN (all EHP Models)
24633	Inserto in plastica giallo / Yellow plastic inserts (5 pcs/set) 	CORGHI (A2030, A2025, A224, A222, A2020, A2015, A2005, 9220, 2024, A9820TI, 9824 etc.) – SICE (S41E, S42E) – MONDOLFO (AS 924, AS 933, AS 934, AS 943, AS 944, AS 946, AS 963) – CORMACH – CEMB – FEMAS – WERTHER – BRIGHT
24634	Inserto in plastica giallo / Yellow plastic inserts (5 pcs/set) 	CORGHI (A2024, A2019, A2010, A9824TI, A9820TI, A9220, A9219, A9212, MTS2010, MTS24, A2030, A2025, A224, A222, A2020, A2015, A2005) – SICE (Demount Heads 603-3 & 716-3S) – MONDOLFO (AS 922)
24635	Inserto in plastica per smontagomme / Plastic insert for tire changers (5 pcs/set) 	CEMB (SM615, SM630, SM635, SM640, SM645, SM650, SM655, SM915, SM931, SM931TI, SM950R, Jolly, and many others) – HOFMANN ME-GAPLAN – CORGHI (VW head 8 111) – MONDOLFO (AS 924, AS 933, AS 934, AS 943, AS 944, AS 946, AS 963) – CORMACH – GIULIANO – ATLAS (standard Atlas® 200 and 700 series mount/demount heads) – ALL TOOL – WERTHER (Titanium100/22, Titanium 200/22, Titanium300/24)

Code	Model	OEM
24637	Protezione in plastica nera / Black head protection 	<i>BOSCH</i> (TCE 4225, TCE4225S, TCE 4230, TCE 4230SFA, TCE4335-T, TCE 4335THP, TCE 4465THP, TCE4465-THPL, TC326-S, TC326-SFA, TC526-T, TC526-THP, TC626-THP) – <i>SICAM</i> (Falco AL518, AL520, AL520ASRS, AL520IT, AL520ITR, AL520ITASR, AL520RS, NA524, NA526, NA526ASRS, NA526ITR, NA526ITASR, NA526RS, AL530ITR, AL720, AL720IT, AL720ITR, AL720RS, NA726ITR, NA726RS, EVO628V8, EVO628ITV8, EVO628, EVO628IT, EVO622, EVO622IT, EVO620, EVO620IT, EVO600, EVO600IT, Grifone SL516, SL516IT, Colibri BL512, BL512IT, Colibri BL512ITAS) – <i>ACCUTURN</i> (3205, 326S, 326SFA, 526T, 526THP626T, 626THP) – <i>BEISSBARTH</i> (MS 500, MS 500 V1, MS 500 V1 WDK, MS 530, MS 530 V1 WDK, MS 530 IT, MS530 IT V1, MS 530 IT V1 WDK) – <i>M&B</i> (TC322, TC325, TC328, TC522, TC525, TC528) – <i>WERTHER</i> (1522, 1522S, 1522IT, 1528, 1528 PG, 1528 IT)
24639	Inserto in plastica bianco per smontagomme / White plastic insert for tire changers (5 pcs set) 	<i>HUNTER</i> (TCX-series Steel Mounting Head Hunter #RP11-5-400439) – <i>CORGI</i> (BC 200 S Motorcycle) – <i>SICE - MONDOLFO</i>
24640	Inserto in plastica per smontagomme / Plastic insert for tire changers (5 pcs set) 	<i>HOFMANN MEGAPLAN</i> – <i>COATS</i> – <i>GIULIANO</i> (for Leverless Tyre Changers)
14706	Protezione in plastica per paletta stallonatore / Bead Breaker blade protection 	<i>HUNTER</i> (TCX57, TCX56, TCX53L, TCX53, TCX51L, TCX51, TCX50) – <i>CORMACH</i> – <i>FEMAS</i> (Vanguard, Vanguard-A, Twister, Twister L-L, Storm, EBB-1) – <i>TECALEMIT</i> – <i>TAIDA</i> (STD-203B, STD-204B, STD-205B, STD-104 GT) – <i>ATLAS</i> (200 and 700 series)
14707	Protezione in plastica per paletta stallonatore / Bead Breaker blade protection 	<i>CORGI</i> (A2030, A2025 LL, A2025, A224, A222, A2020, A2015, A2005, A2002) – <i>CORMACH</i> (CM646-CM646 GT, LIGRO-CM646, LIGRO-LIGRO GT)
24642	Torretta in plastica / Tire mount/demount tools 	<i>SNAP-ON</i> (All models, Boxer A22, Boxer BB2200/BTC20 Super Boxer Swing) – <i>HOFMANN</i> (8100s, 1520, 1565, 1575, 1620, 1625, 1625EM, 3300, 3300EM, 3550, Monty 1270, 2300, 3000, 3000GP) – <i>JOHN BEAN</i> (EHP SYSTEM, IVE, IV, III, IIE) – <i>SICE</i> (Most Models with Plastic Head) – <i>FMC</i> (most models) – <i>ACCUTURN</i> (3402, 3600, 3602, 3602HP, 4260, 4400, 4502, 4560MR, 4602, 5400, 5402, 5602, 5602HP)
24629		Ricambio per torretta in plastica #24642 / Spare for tire mount/demount tool #24642
24643		Supporto per torretta in plastica #24642 / Holder for tire mount/demount tool #24642



14713



14675



14714



12533



12534



14654



14953

14954



Code	Model	Contents
14953	Kit di riparazione pneumatici tubeless / Tubeless tire repair kit	1 Punteruolo per mastice 102 mm / Spiral Probe in PG Handle 4" 1 Attrezzo a T con ago 127 mm / Open Eye Needle in PG Handle 5" 1 Chiave a brugola / Allen Key 1 Taglierino / Cutting Knife 1 Barattolo grasso / Paste 1 Confezione da 20 stringhe 127 mm / Pack of 20 Repair Strings 4" 1 Manuale di istruzioni / Instruction Sheet
14954	Kit di riparazione pneumatici tubeless - eco / Tubeless tire repair kit - eco line	1 Punteruolo per mastice 102 mm / Spiral Probe in PG Handle 4" 1 Attrezzo a T con ago 76 mm / Open Eye Needle in PG Handle 3" 1 Taglierino / Cutting Knife 1 Confezione da 5 stringhe 102 mm / Pack of 5 Repair Strings 4" 1 Manuale di istruzioni / Instruction Sheet



14653



14650-1



14646




14650



14651



13723




Code	Model
14653	Termo pressa universale / Universal thermopress
14651	Sacchetto compensatore 200 mm x 200 mm / Adjusting bag 200 mm x 200 mm
14650	Coppia di piastre scaldante per termo pressa potenziata 170°C 150 x 220 mm Heating plates pair for 170 thermopress
14650-1	Supporto orientabile / Swinging support
14649	Sacchetto compensatore 200 mm x 300 mm / Adjusting bag 200 mm x 300 mm
14648	Sacchetto compensatore 170 mm x 140 mm / Adjusting bag 170 mm x 140 mm
14646	Piastra scaldante per termo pressa 150°C 180 x 100 / Heating plate 150°C 180 x 100 mm
13723	Ispezionatrice vettura - autocarro 14"- 24" / Car and Truck tire spreader 14"- 24"




13895

Code	Size	Load rate
13896	100 x 100 L=460 mm	1 block = 50 t 6 blocks = 240 t
13897	150 x 177 L= 600 mm	1 block = 80 t 6 blocks = 420 t
13895	300 x 300 x 40 mm	-



13897



13896



19012



19011




19010

19010	Max HT 480 mm	Min HT 310 mm	20t
19011	Max HT 730 mm	Min HT 445 mm	20t
19012	Max HT 1200 mm	Min HT 695 mm	20t

Code	Model	Max. Loading	Diameter
14781	Carrello Ahcon per trasporto pneumatici / Ahcon wheel trolley (standard basic)	120 kg	630 mm
14782	Tappeti antiscivolo in gomma riciclata / Anti-slip recycled rubber mats	/	600 mm



14781



14782





EASY GRIPPER è disponibile in numerose configurazioni. Contattaci per individuare quella più adatta ai tuoi pneumatici e alle tue esigenze operative.

Richiedi informazioni anche sugli altri dispositivi **Just Easy Tools**.

***EASY GRIPPER** is available in multiple configurations. Contact us to identify the most suitable option for your tires and operational needs, and to request information about other **Just Easy Tools** solutions.*




EASY GRIPPER 2160

Ideal for:
Tire service
Farmers / AGRO Workshops / OEM
Tire Manufacturers / Retreaders
Tire Distributors

Tire diameter
700 - 2.160 mm
28 - 85"

Lift capacity
1.000 Kg
2.200 lbs





Tilt capacity 90°
Carrier lifting requirement: 2.5 ton*

EASY GRIPPER 2400-2T

Ideal for:
Tire service
Small Open Pit Mines / Quarries
Underground Mines
Ports

Tire diameter
850 - 2.400 mm
34 - 94"

Lift capacity
2.000 Kg
4.400 lbs



Tilt capacity 90°
Carrier lifting requirement: 4.5 ton*

*Depending on carrier and requirements

10017 24	10141 9	10226 11	10316 20	10478 8	10932-4...14
10018 24	10142 9	10228 11	10317 20	10479 8	10933 14
10019 5	10143 9	10235 11	10318 20	10480 8	10934 14
10022 5	10144 9	10236 11	10319 21	10481 8	10937 14
10023 5	10149 23	10237 11	10320 21	10484 8	10937-1...14
10024 5	10150 23	10238 11	10321 21	10516 19	10938 14
10025 5	10151 23	10239 11	10322 21	10518 19	10939 14
10027 5	10152 23	10240 11	10323 21	10518-1.. 19	10939-1...14
10029 5	10153 23	10241 11	10324 21	10519 8	10940 14
10030 5	10154 23	10242 11	10325 21	10520 19	10940-1...14
10031 5	10155 13	10243 11	10326 21	10523 7	10941 14
10033 5	10156 13	10244 11	10327 21	10524 19	10942 14
10034 5	10157 13	10245 11	10328 21	10528 19	10943 14
10035 5	10158 13	10245-1 ..11	10330 20	10529 19	10989 86
10038 5	10159 13	10246 10	10331 20	10530 19	11237 23
10040 5	10160 13	10247 10	10334 20	10531 19	11321 14
10051 6	10161 13	10248 10	10335 20	10532 19	11395 14
10071 6	10162 13	10249 10	10336 21	10532-1.. 19	11396 14
10071-1 ..6	10163 13	10251 10	10337 51	10533 19	11397 14
10071-4 .. 6	10164 13	10252 10	10343 21	10534 19	11430 6
10072 6	10165 13	10253 10	10344 20	10536 8	11431 22
10073 6	10166 13	10254 10	10345 21	10537 19	11432 22
10074 6	10167 13	10255 10	10346 20	10538 24	11433 22
10075 6	10171 12	10256 15	10347 20	10539 22	11434 22
10076 6	10172 12	10257 15	10348 20	10540 22	11435 22
10077 6	10173 12	10259 15	10349 20	10541 22	11436 22
10078 6	10174 12	10268 10	10350 20	10542 87	11437 22
10079 6	10175 12	10269 10	10352 20	10544 19	11438 22
10080 6	10176 12	10270 10	10353 21	10550 19	11441 23
10081 6	10177 12	10271 10	10354 20	10551 19	11442 23
10082 6	10178 12	10273 10	10355 20	10557 19	11443 23
10083 6	10179 12	10275 10	10356 20	10557-1 ...19	11444 23
10084 6	10180 12	10277 10	10357 21	10560 8	11445 23
10085 6	10181 12	10280 24	10358 21	10566 17	11446 23
10086 6	10182 12	10281 24	10359 21	10568 17	11447 23
10087 6	10183 12	10282 24	10360 21	10569 17	11448 23
10088 6	10184 15	10282-1 ..24	10363 7	10578 17	11449 23
10111 9	10185 15	10283 24	10364 7	10579 17	11450 23
10112 9	10186 15	10283-1 ..24	10366 7	10580 17	11451 23
10113 9	10187 13	10285 10	10375 7	10583 17	11452 22
10114 9	10188 13	10286 10	10376 7	10584 17	11453 22
10115 9	10190 12	10287 10	10377 7	10586 37	11454 22
10116 9	10191 12	10288 9	10378 7	10587 37	11455 22
10117 9	10204 11	10297 13	10379 7	10588 17	11456 22
10118 9	10205 11	10299 15	10390 7	10611 17	11457 23
10119 9	10206 11	10300 15	10391 7	10867 36	11459 18
10120 9	10208 11	10301 15	10393 7	10868 36	11460 18
10121 9	10209 11	10301-1 . 15	10464 8	10869 36	11461 24
10123 9	10211 11	10305 9	10465 8	10869-1...36	11463 23
10124 9	10212 11	10306 9	10466 8	10870 36	11464 86
10125 9	10214 11	10306-1...9	10467 8	10871 36	11469 18
10127 9	10215 11	10308-1 ...10	10468 8	10872 36	11472 24
10128 9	10217 11	10309 10	10469 8	10873 36	11473 23
10132 9	10218 11	10309-0 ...10	10470 8	10876 36	11474 86
10133 9	10220 11	10309-1...10	10473 8	10887 36	11512 7
10136 9	10221 11	10312 20	10474 8	10889 36	11514 7
10137 9	10223 11	10313 20	10475 8	10931-1...14	11518 7
10140-1 ..9	10224 11	10314 20	10476 8	10932 14	11519 7
10140-2 ..9	10225 11	10315 20	10477 8	10932-3...14	11520 7

11521 7	11813 34	12440 57	12640 56	12913 39	13036 48
11521-1.....7	11816 29	12441 57	12641 16	12918 39	13037 48
11522 7	11819-1....29	12442 57	12642 16	12919 39	13038 48
11557 26	11822 29	12507 51	12643 16	12920 39	13039 48
11558 26	11825 29	12508 51	12645 64	12920-1....39	13040 48
11559 26	11827 29	12509 51	12646 64	12921 39	13041 48
11560 26	11829 29	12510 51	12647 16	12928 48	13042 48
11561 27	11830 29	12511 51	12650 18	12929 48	13043 48
11562 27	11832 28	12512 51	12651 18	12930 48	13044 48
11563 27	11835 34	12513 51	12652 18	12941 39	13045 48
11564 27	11840 34	12515 51	12653 18	12982 49	13046 48
11565 27	11843 33	12520 51	12654 18	12983 49	13047 48
11566 27	11844 33	12521 51	12655 18	12987 49	13048 48
11567 27	11848 29	12522 51	12656 18	12988 49	13049 48
11568 27	11850 32	12523 51	12657 18	12989 49	13049-1....48
11569 27	11859 29	12526 51	12658 67	12990 49	13050 48
11570 26	11860 29	12527 51	12659 67	12991 49	13051 48
11571 26	11861 29	12528 51	12660 56	12992 49	13054 48
11572 26	11862 29	12529 51	12661 56	12993 49	13055 48
11573 26	11862-1....29	12530 51	12662 25	12994 49	13056 48
11576 24	11864 29	12531 51	12663 25	12995 49	13057 48
11578 24	11870 29	12533 91	12664 25	12996 49	13058 48
11579 24	11871 29	12534 91	12666 18	12997 49	13059 48
11580 24	11871-1....29	12536 37	12671 81	12998 49	13060 48
11581 26	11874 29	12540 37	12792 38	12999 49	13061 48
11582 26	11879 29	12541 37	12793 38	13000 49	13062 48
11584 26	11883 29	12542 37	12795 38	13001 49	13063 48
11604 26	11914 30	12543 37	12802 38	13002 49	13064 48
11651 35	11915 30	12544 37	12806 41	13003 49	13065 45
11652 35	11916 30	12545 37	12807 38	13004 49	13066 45
11659 35	11917 30	12546 37	12808 38	13006 49	13067 45
11660 35	11918 30	12547 37	12809 38	13007 49	13067-1....45
11661 35	11919 30	12550 37	12810 38	13008 49	13068 45
11663 35	11922 31	12555 25	12811 38	13009 49	13069 45
11664 35	11950 33	12556 37	12812 38	13010 49	13070 45
11666 35	11951 33	12557 51	12814 38	13011 49	13071 45
11703 64	11957 31	12560 51	12815-2....38	13012 49	13072 45
11704 64	11960 31	12561 37	12816 38	13013 49	13073 45
11706 64	11961 31	12562 18	12816-1....38	13014 49	13074 45
11708 64	12254 25	12611 18	12816-2....38	13015 49	13074-1....45
11709 64	12254-3....25	12612 37	12819 38	13016 49	13074-2....45
11712 64	12255 25	12613 37	12821 38	13017 49	13075 45
11713 64	12256 25	12617 16	12824 38	13018 49	13076 45
11717 64	12257 25	12618 56	12826 38	13019 49	13077 47
11722 64	12297 25	12619 56	12834 38	13020 49	13079 47
11753 34	12299 25	12620 56	12835 38	13021 49	13080 47
11754 34	12406 57	12620-1....56	12836 38	13022 49	13081 47
11779 28	12408 57	12621 56	12837 38	13023 49	13082 47
11780 28	12409 57	12622 16	12838 38	13024 49	13183 50
11781 34	12410 57	12623 16	12901 39	13025 49	13184 50
11782 34	12411 57	12625 16	12902 39	13026 49	13185 50
11788 32	12412 57	12626 16	12903 39	13027 49	13186 50
11790 29	12413 57	12629 18	12906 39	13028 49	13186-2....50
11794 29	12414 57	12634 56	12907 39	13029 49	13187 50
11795 29	12415 57	12635 56	12908 39	13030 49	13188 50
11798 29	12416 57	12636 56	12909 39	13032 49	13189 50
11804 29	12417 57	12637 56	12910 39	13033 48	13190 50
11805 29	12418 57	12638 56	12911 39	13034 48	13191 50
11807 29	12420 57	12639 56	12912 39	13035 48	13192 50

13197 50	13343 46	13601.....55	13780 44	14337 68	14627 77
13198 50	13344 46	13602.....55	13781 47	14338 68	14628 77
13199 50	13345 46	13603.....55	13782 47	14340 68	14629 78
13200 50	13346 46	13604.....55	13783 47	14402 85	14630 78
13201 50	13347 46	13604-1..55	13785 44	14403 85	14631 78
13203 50	13348 46	13605..... 55	13786 44	14404 84	14632 78
13204 50	13349 46	13605-1...55	13787 44	14406 85	14633 78
13205 50	13350 46	13610 52	13788 44	14407 84	14633-1....79
13206 50	13351 46	13611 52	13789 44	14410 84	14633-2....79
13231 41	13352 46	13611-1...52	13790 44	14411 84	14633-3....79
13234 41	13353 46	13611-2...52	13791 44	14412 85	14635 78
13235 41	13354 46	13612 55	13792 44	14413 85	14636 78
13236 41	13355 46	13613 55	13873-1....47	14414 85	14646 92
13239 41	13356 46	13614 55	13874 73	14415 84	14648 92
13240 41	13359 44	13614-1...55	13876 73	14415-1...84	14649 92
13242 41	13360 44	13615 55	13878 73	14415-2...84	14650 92
13243 41	13361 44	13616 55	13879 72	14416 67	14650-1....92
13244 41	13362 40	13620-1...52	13880 72	14418 84	14651 92
13246 40	13363 40	13620-2 52	13881 72	14419 85	14653 92
13248 40	13364 40	13621-1 52	13882 72	14420 84	14654 91
13250 40	13376 44	13621-2 52	13884 74	14421 85	14656 87
13252 40	13377 44	13622-1 52	13886 75	14422 85	14657 87
13254 40	13378 44	13624-1 52	13887 75	14422-1...85	14658 87
13256 40	13379 44	13624-2 52	13887-1...75	14424 85	14660 66
13304 45	13380 44	13625-1 52	13888 75	14425 85	14660-2....66
13305 45	13381 44	13627-1 52	13889 75	14429 84	14660-3....66
13306 45	13382 44	13629-1 52	13890 75	14434 85	14660-4....66
13307 45	13383 44	13651-1 52	13891 75	14434-1...84	14661 78
13308 45	13384 44	13652-1 52	13892 75	14435 84	14662 78
13309 45	13385 44	13653-1 52	13895 93	14437 67	14663 78
13310 45	13530 43	13654-1 52	13896 93	14438 84	14664 78
13311 45	13531 43	13655-1 52	13897 93	14439 84	14665 78
13312 45	13531-1...43	13656-1 52	13897-1...70	14440 84	14666 80
13313 45	13532 43	13657-1 52	13898 70	14441 84	14667 80
13314 45	13533 43	13657-2 52	13898-1...70	14550 82	14668 80
13315 45	13533-1...43	13659-1 52	13899 70	14604 79	14669 80
13316 45	13534 43	13659-2 52	13900 70	14605 79	14670 80
13317 45	13535 43	13660-1 52	13901 70	14605-1...79	14674 87
13318 45	13535-1...43	13660-2 52	13902 70	14606 79	14675 91
13319 45	13536 43	13661-1 52	13903 70	14607 79	14676 88
13320 45	13537 43	13661-2 52	13904 70	14608 66	14677 88
13321 45	13537-1...43	13662-1 52	13905 70	14609 66	14677-1...88
13322 47	13571 55	13663-1 52	13906 70	14610 76	14678 87
13323 47	13572 54	13665-1 52	13907 70	14611 76	14679 87
13324 47	13573 54	13665-2 52	14037 71	14612 76	14679-1...87
13326 47	13574 54	13666-1 52	14068 72	14613 76	14680 87
13330 47	13575 54	13667-1 52	14069 70	14614 76	14681 88
13331 47	13576 54	13669-1 52	14312 68	14615 76	14682 87
13332 47	13579 55	13669-2 52	14313 68	14616 76	14683 88
13333 47	13580 55	13670-1 52	14314 68	14617 76	14684 88
13334 46	13582 55	13723 92	14315 68	14618 76	14684-1...88
13335 46	13583 55	13724-4.... 16	14316 68	14619 76	14685 87
13336 46	13584 55	13725 16	14317 68	14620 77	14686 86
13337 46	13584-1...55	13726 66	14319 68	14621 77	14687 86
13338 46	13585 55	13727 66	14320 68	14622 77	14688 86
13339 46	13586-1...55	13775 47	14323 68	14623 77	14689 86
13340 46	13586-2...55	13777 47	14324 68	14624 77	14690 86
13341 46	13598 55	13778 47	14327 68	14625 77	14691 86
13342 46	13599 55	13779 47	14328 68	14626 77	14693 61

14700		58	19004		74
14701		58	19006		74
14702		61	19007		74
14703		87	19010		93
14704		67	19011		93
14705		88	19012		93
14706		90	19026		81
14707		90	19033		81
14708		89	19053		81
14709		89	20109		13
14710		89	20116		9
14711		89	20116-1		9
14712		87	20116-2		9
14713		91	20117		11
14714		91	20118		11
14719		61	20120		9
14725		59	20121		9
14725-1		59	20122		9
14725-2		59	20123		11
14725-3		59	20141		10
14725-4		59	20144		10
14725-5		59	20147		10
14725-6		59	23229		42
14727		58	23230		42
14728		58	23231		42
14742		58	23232		42
14743		58	23233		42
14744		58	23234		42
14745		85	23235		42
14755		69	23236		42
14760		69	23241		43
14766		81	23242		43
14767		65	23243		43
14781		93	23244		43
14782		93	23245		43
14856		35	23246		43
14857		35	23247		43
14858		35	23248		43
14859		35	23249		43
14860		35	24629		90
14861		35	24631		89
14862		37	24632		89
14865		35	24633		89
14866		35	24634		89
14953		91	24635		89
14954		91	24637		90
15906		17	24639		90
15940		80	24640		90
15941		80	24642		90
15942		80	24643		90
15948		17	24801		67
15950		17	24802		67
17700		72	34604		78
17900		75	34605		78
17901		75	34612		79
19000		74	34613		79
19001		74	34614		79
19002		74	34615		79
19003		74			





info@vmrubber.com

+39 0464 1940003



Viale Giovanni Caproni 17/A
38068 Rovereto (Tn) Italy
www.vmrubber.com

